



MODEL #	MANUFACTURER #	DESCRIPTION	MSRP
AVA-AW10	AW10	10 DBI HIGH GAIN DIRECTIONAL 900MHZ OUTDOOR PANEL ANTENNA. INCLUDES: PANEL ANTENNA, 1.75-IN POLE MOUNTING BRACKET AND 48-IN RPTNC PIGTAIL.	258.59
AVA-AW11	AW11	11 DBI HIGH GAIN DIRECTIONAL 900MHZ OUTDOOR ANTENNA. INCLUDES: ANTENNA, WALL MOUNTING BRACKET AND 10-IN RPTNC PIGTAIL. DC GROUNDED.	161.21
AVA-AW12V	AW12V	AUTO ADAPTER / 12 VDC TO 5 VDC / SWITCHING POWER CONVERTER TO ALLOW AW900I OR AW5800I TO OPERATE ON 12 VDC SUPPLY	43.56
AVA-AW15	AW15	15 DBI HIGH GAIN DIRECTIONAL 900MHZ OUTDOOR ANTENNA. INCLUDES: ANTENNA, WALL MOUNTING BRACKET AND 10-IN RPTNC PIGTAIL. DC GROUNDED.	200.40
AVA-AW2	AW2	2.5 DBI OMNI-DIRECTIONAL 900 MHZ INDOOR/OUTDOOR ANTENNA. INCLUDES: ANTENNA WITH INTEGRATED SWIVEL RPTNC CONNECTOR, 7-IN LONG DIPOLE.	37.48
AVA-AW235800	AW235800	23 DBI HIGH GAIN DIRECTIONAL 5.8 GHZ OUTDOOR PANEL ANTENNA. INCLUDES: PANEL ANTENNA, 1.75-IN POLE MOUNTING BRACKET AND 48-IN RPTNC PIGTAIL. (RECOMMENDED FOR MOST APPLICATIONS)	258.59
AVA-AW24V	AW24V	24 VAC TO 12 VDC CONVERTER FOR AW900X AND AW5800X RADIOS.	84.98
AVA-AW55800	AW55800	5 DBI OMNI-DIRECTIONAL 5.8 GHZ INDOOR/OUTDOOR ANTENNA. INCLUDES: ANTENNA WITH INTEGRATED SWIVEL RPTNC CONNECTOR. 7-IN LONG, SINGLE COLLINEAR.	58.07
AVA-AW5800I	AW5800I	LONG RANGE 5.8 GHZ WIRELESS INDOOR ETHERNET BRIDGE. KIT INCLUDES: - (2) AW5800I RADIO TRANSCEIVERS - (2) 110 VAC – 6 VDC POWER SUPPLIES - (2) AW5-5800 5DBI OMNI ANTENNAE INCLUDES ANTENNAE - CAN BE UPGRADED TO AW23-5800 HIGH GAIN PANEL.	1685.96
AVA-AW5800IT	AW5800IT	POINT-TO-MULTIPOINT LONG-RANGE 5.8GHZ WIRELESS INDOOR ETHERNET RADIO TRANSCEIVER. NOTE: RADIO IS USER CONFIGURABLE AS EITHER ACCESS POINT OR SUBSCRIBER UNIT (CLIENT NODE). KIT INCLUDES: - (1) AW5800IT INDOOR RADIO - (1) AW5-5800 5 DBI OMNI ANTENNA - (1) 110 VAC- 6 VDC POWER ADAPTER INCLUDES ANTENNA – AW5-5800 5 DBI OMNI-DIRECTIONAL ANTENNA	950.86
AVA-AW5800MT	AW5800MT	POINT-TO-MULTIPOINT LONG-RANGE 5.8GHZ WIRELESS ETHERNET RADIO TRANSCEIVER MODULE. NOTE: RADIO IS USER CONFIGURABLE AS EITHER ACCESS POINT OR SUBSCRIBER UNIT (CLIENT NODE). KIT INCLUDES: - (1) AW5800MT-SR RADIO TRANSCEIVER - (1) 12-IN PIGTAIL (RPSMA MALE TO RPTNC BULKHEAD FEMALE) REQUIRES ANTENNAE – ACCESS POINT: USE WITH AW5-5800, REMOTE CLIENT USE WITH AW23-5800	783.61
AVA-AW5800X	AW5800X	LONG RANGE 5.8 GHZ WIRELESS OUTDOOR ETHERNET BRIDGE. KIT INCLUDES: - (2) AW5800X RADIO TRANSCEIVERS - (2) 110 VAC – 12VDC POWER SUPPLIES - (2) 30-FT OUTDOOR GRADE CAT-5E CABLES - (2) POWER OVER ETHERNET INJECTORS - (2) WALL MOUNTING KITS REQUIRES ANTENNAE – USE WITH AW5-5800 OR AW23-5800 (RECOMMENDED)	2027.34

AVA-AW5800XT	AW5800XT	POINT-TO-MULTIPOINT LONG-RANGE 5.8GHZ WIRELESS OUTDOOR ETHERNET RADIO TRANSCEIVER. NOTE: RADIO IS USER CONFIGURABLE AS EITHER ACCESS POINT OR SUBSCRIBER UNIT (CLIENT NODE). KIT INCLUDES: - (1) AW5800XT OUTDOOR RADIO - (1) AW5-5800 5 DBI OMNI ANTENNA - (1) 110 VAC- 12 VDC POWER ADAPTER - (1) POWER OVER ETHERNET INJECTOR INCLUDES ANTENNA – AW5-5800 5 DBI OMNI-DIRECTIONAL ANTENNA – RECOMMENDED REMOTE CLIENT UPGRADE: AW23-5800	1043.78
AVA-AW5900	AW5900	5 DBI OMNI-DIRECTIONAL 900 MHZ INDOOR/OUTDOOR ANTENNA. INCLUDES: ANTENNA WITH MAGNETIC BASE FOR INSTANT NO-DRILL AUTOMOBILE MOUNTING. 10-IN LONG, SINGLE COLLINEAR DESIGN. INCLUDES 6-FT RPTNC PIGTAIL.	124.27
AVA-AW5P900	AW5P900	5 DBI OMNI-DIRECTIONAL 900 MHZ INDOOR/OUTDOOR ANTENNA. INCLUDES POLE MOUNTING HARDWARE AND 4-FT RPTNC PIGTAIL.	255.35
AVA-AW6	AW6	6.5 DBI DIRECTIONAL 900 MHZ INDOOR ANTENNA. INCLUDES: ANTENNA, WALL MOUNTING BRACKET AND 10-IN RPTNC PIGTAIL. 7-IN LONG, YAGI TYPE.	106.22
AVA-AW900I	AW900I	LONG RANGE 900 MHZ WIRELESS INDOOR ETHERNET BRIDGE. KIT INCLUDES: - (2) AW900I RADIO TRANSCEIVERS - (2) 110 VAC – 6 VDC POWER SUPPLIES - (2) AW2, 2 DBI OMNI ANTENNAE INCLUDES ANTENNAE - CAN BE UPGRADED TO AW5, AW6, AW11 OR AW15	1359.76
AVA-AW900IT	AW900IT	POINT-TO-MULTIPOINT LONG-RANGE 900MHZ WIRELESS INDOOR ETHERNET RADIO TRANSCEIVER. NOTE: RADIO IS USER CONFIGURABLE AS EITHER ACCESS POINT OR SUBSCRIBER UNIT (CLIENT NODE). KIT INCLUDES: - (1) AW900IT INDOOR RADIO - (1) AW2 2.5 DBI OMNI ANTENNA - (1) 110 VAC- 6 VDC POWER ADAPTER INCLUDES ANTENNA - AW2 2.5 DBI OMNI-DIRECTIONAL ANTENNA – RECOMMENDED UPGRADES: AW6, AW5P-900, AW5-900.	721.67
AVA-AW900MT	AW900MT	POINT-TO-MULTIPOINT LONG-RANGE 900 MHZ WIRELESS ETHERNET RADIO TRANSCEIVER MODULE. NOTE: RADIO IS USER CONFIGURABLE AS EITHER ACCESS POINT OR SUBSCRIBER UNIT (CLIENT NODE). KIT INCLUDES: - (1) AW900MT-SR RADIO TRANSCEIVER - (1) 12-IN PIGTAIL (RPSMA MALE TO RPTNC BULKHEAD FEMALE) REQUIRES ANTENNAE – USE WITH AW2, AW5-900, AW5P-900, AW6, AW10, AW11 OR AW15	597.78
AVA-AW900X	AW900X	LONG RANGE 900 MHZ WIRELESS OUTDOOR ETHERNET BRIDGE. KIT INCLUDES: - (2) AW900X RADIO TRANSCEIVERS - (2) 110 VAC TO 12 VDC POWER SUPPLIES - (2) 30-FT OUTDOOR GRADE CAT-5E CABLES - (2) POWER OVER ETHERNET INJECTORS - (2) WALL MOUNTING KITS REQUIRES ANTENNAE – USE WITH AW2, AW5, AW11 OR AW15	1706.91
AVA-AW900XT	AW900XT	POINT-TO-MULTIPOINT LONG-RANGE 900MHZ WIRELESS OUTDOOR ETHERNET RADIO TRANSCEIVER. NOTE: RADIO IS USER CONFIGURABLE AS EITHER ACCESS POINT OR SUBSCRIBER UNIT (CLIENT NODE). KIT INCLUDES: - (1) AW900XT OUTDOOR RADIO - (1) AW2 2.5 DBI OMNI ANTENNA - (1) 110 VAC- 12 VDC POWER ADAPTER - (1) POWER OVER ETHERNET INJECTOR INCLUDES ANTENNA - AW2 2.5 DBI OMNI-DIRECTIONAL ANTENNA – RECOMMENDED UPGRADES: AW15, AW11, AW10, AW5P-900, AW5-900.	814.58
AVA-AWAPM	AWAPM	ANTENNA POLE MOUNTING BRACKET. INCLUDES POLE MOUNTING BRACKET FOR AW11 OR AW15 ANTENNA. UP TO 2-IN PIPE.	43.56

AVA-AWD5800	AWD5800	<p>LINE-OF-SIGHT  INTEGRATED 5.8 GHZ WIRELESS OUTDOOR DOME HOUSING FOR PTZ NETWORK  CAMERAS.  KIT INCLUDES:  - (1) VIDEOLARM (FDW75C2N) OUTDOOR DOME HOUSING WITH HEATER/BLOWER, WALL  MOUNT BRACKET AND INTEGRATED AW5800M RADIO MODULE  - (1) AW5800X 5.8 GHZ RADIO TRANSCEIVER</p>	3972.96
		<p>- (2) 110 VAC TO 24 VAC/40 VA TRANSFORMERS  - (2) AW5-5800 5DBI OMNI ANTENNAE  - (1) 110 VAC TO 12 VDC POWER SUPPLY  - (1) 30-FT OUTDOOR GRADE CAT-5E CABLE  - (1) POWER OVER ETHERNET INJECTOR</p>	
		- (1) AW5800X POLE/WALL MOUNTING KIT	
		NON-LINE-OF-SIGHT	
AVA-AWD900	AWD900	<p>INTEGRATED 900 MHZ WIRELESS OUTDOOR DOME HOUSING FOR PTZ NETWORK  CAMERAS.  KIT INCLUDES:  - (1) VIDEOLARM (FDW75C2N) OUTDOOR DOME HOUSING WITH HEATER/BLOWER, WALL  MOUNT BRACKET AND INTEGRATED AW900M RADIO MODULE  - (2) 110 VAC TO 24 VAC/40 VA TRANSFORMERS</p>	3678.45
		<p>- (1) MATCHING AW900X RADIO TRANSCEIVER  - (2) AW2, 2 DBI OMNI ANTENNAE  - (1) 110 VAC TO 12 VDC POWER SUPPLY  - (1) 30-FT OUTDOOR GRADE CAT-5E CABLE  - (1) POWER OVER ETHERNET INJECTOR  - (1) ANTENNA/RADIO WALL MOUNTING KIT</p>	
AVA-AWH 5800	AWH 5800	<p>LINE-OF-SIGHT  INTEGRATED 5.8 GHZ WIRELESS OUTDOOR TUBE HOUSING FOR FIXED NETWORK  CAMERAS.  KIT INCLUDES:  - (1) VIDEOLARM (ACH13HBWM) OUTDOOR TUBULAR HOUSING WITH HEATER/BLOWER,  WALL MOUNT BRACKET AND INTEGRATED AW5800M RADIO MODULE  - (1) AW5800X 5.8 GHZ RADIO TRANSCEIVER</p>	3531.19
		<p>- (1) 110 VAC TO 24 VAC/40 VA TRANSFORMERS  - (2) AW5-5800 5 DBI OMNI ANTENNAE  - (1) 110 VAC TO 12 VDC POWER SUPPLY  - (1) 30-FT OUTDOOR GRADE CAT-5E CABLE  - (1) POWER OVER ETHERNET INJECTOR  - (1) AW5800X POLE/WALL MOUNTING KIT</p>	
AVA-AWH900	AWH900	<p>NON-LINE-OF-SIGHT  INTEGRATED 900 MHZ WIRELESS OUTDOOR TUBE HOUSING FOR FIXED NETWORK  CAMERAS.  KIT INCLUDES:  - (1) VIDEOLARM (ACH13HBWM) OUTDOOR TUBULAR HOUSING WITH HEATER/BLOWER  WALL MOUNT BRACKET AND INTEGRATED AW900M RADIO MODULE  - (1) 110 VAC TO 24 VAC/40 VA TRANSFORMERS</p>	3236.68
		<p>- (1) MATCHING AW900X RADIO TRANSCEIVER  - (2) AW2, 2 DBI OMNI ANTENNAE  - (1) 110 VAC TO 12 VDC POWER SUPPLY  - (1) 30-FT OUTDOOR GRADE CAT-5E CABLE  - (1) POWER OVER ETHERNET INJECTOR  - (1) ANTENNA/RADIO WALL MOUNTING KIT</p>	
AVA-AWLA	AWLA	LIGHTNING ARRESTOR RPTNC TO RPTNC. MANUFACTURER'S PART NUMBER P8AX09-TW/MF RP	124.27
AVA-AWPNF	AWPNF	35 DB NOTCH FILTER TO REDUCE 929 - 931 MHZ PAGING INTERFERENCE (USE WHEN INTERFERENCE AT 929 - 931 MHZ FROM NEARBY PAGING SYSTEMS IS PREVENTING A SATISFACTORY WIRELESS CONNECTION)	696.89
AVA-AWRF10	AWRF10	LOW LOSS 10-FT RF EXTENSION CABLE FOR USE WITH AW15, AW11 & AW6. (FME FEMALE TO INLINE RPTNC MALE.)	81.45
AVA-AWRF25	AWRF25	LOW LOSS 25-FT RF EXTENSION CABLE FOR USE WITH AW15, AW11 & AW6. (FME FEMALE TO INLINE RPTNC MALE.)	102.70
AVA-AWRF4	AWRF4	LOW LOSS 4-FT RF EXTENSION CABLE FOR USE WITH AW15, AW11 & AW6. (FME FEMALE TO INLINE RPTNC MALE.)	74.37

AVA-AWRF50	AWRF50	LOW LOSS 50-FT RF EXTENSION CABLE FOR USE WITH AW15, AW11 & AW6. (FME FEMALE TO INLINE RPTNC MALE.)	120.83
AVA-AWXPM	AWXPM	POLE MOUNTING BRACKET FOR ALL AVALAN OUTDOOR RADIO TRANSCEIVERS. INCLUDES: POLE MOUNTING BRACKET FOR UP TO 2-IN OD PIPE. AW11 OR AW15 ANTENNA CAN BE MOUNTED DIRECTLY TO THIS BRACKET [AW-APM NOT REQUIRED].	72.59