

MODEL #	MANUFACTURER #	DESCRIPTION	MSRP
COO-31T115R	31T115R	ELECTRO-MECHANICAL HORN,115 VAC,SEMI-FLUSH,RD	77.13
COO-31T115S	31T115S	ELECTRO-MECHANICAL HORN,SEMI-FLUSH,115 VAC,SILVER	77.13
COO-43TG10115R	43TG10115R	AC VIB BELL,INDOOR/OUTDOOR,115 VAC,10" SHELL,RD	123.56
COO-43TG10115S	43TG10115S	AC VIB BELL,INDOOR/OUTDOOR,115VAC,10" SHELL,SILVER	123.56
COO-43TG1024R	43TG1024R	AC VIB BELL,INDOOR/OUTDOOR,24 VAC,10" SHELL,RD	123.56
COO-43TG1024S	43TG1024S	AC VIB BELL,INDOOR/OUTDOOR,24VAC,10" SHELL,SILVER	123.56
COO-43TG6115R	43TG6115R	AC VIB BELL,INDOOR/OUTDOOR,115 VAC,6" SHELL,RD	93.66
COO-43TG6115S	43TG6115S	AC VIB BELL,INDOOR/OUTDOOR,115VAC,6" SHELL,SILVER	93.66
COO-43TG624R	43TG624R	AC VIB BELL,INDOOR/OUTDOOR,24 VAC,6" SHELL,RD	93.66
COO-43TG624S	43TG624S	AC VIB BELL,INDOOR/OUTDOOR,24VAC,6" SH ELL,SILVER	93.66
COO-ACMAXA	ACMAXA	AC MAX INDUST STRB,AMBER,DOUBLE FLASH,120VAC	310.30
COO-ACMAXB	ACMAXB	AC MAX INDUST STRB,BLUE,DOUBLE FLASH,120VAC	310.30
COO-ACMAXC	ACMAXC	AC MAX INDUST STRB,CLEAR,DOUBLE FLASH,120VAC	310.30
COO-ACMAXR	ACMAXR	AC MAX INDUST STRB,RED,DOUBLE FLASH,120VAC	310.30
COO-ACMAXSA	ACMAXSA	AC MAX INDUST STRB W/LIGHT,AMBER,DOUBLE FLASH,120V	386.15
COO-ACMAXSB	ACMAXSB	AC MAX INDUST STRB W/LIGHT,BLUE,DOUBLE FLASH,120V	386.15
COO-ACMAXSC	ACMAXSC	AC MAX INDUST STRB W/LIGHT,CLEAR,DOUBLE FLASH,120V	386.15
COO-ACMAXSR	ACMAXSR	AC MAX INDUST STRB W/LIGHT,RED,DOUBLE FLASH,120V	386.15
COO-AH 1 2WPR	AH 1 2WPR	H N,SURFACE,WALL/CEIL,WTH PRF, 1 2VDC,3dB,RD(WBB REQ)	54.46
COO-AH 12R	AH 12R	HN,WALL/CEIL, 12VDC,3dB,RD	54.46
COO-AH24R	AH24R	HN,WALL/CEIL,24VDC,3dB,RD	54.46
COO-AH24WPR	AH24WPR	H N,SURFACE,WALL/CEIL,WTH PRF,24VDC,3dB,RD(WBB REQ)	54.46
COO-AMSP40SNBT	AMSP40SNBT	SP40S NARROWBAND TONE MESSAGE KIT	328.23
COO-AMSP40SPMK	AMSP40SPMK	SP40S AFTER MKT 8 MESSAGE FACTORY PROGRAMMED KIT	328.23
COO-AMSP40SSMK	AMSP40SSMK	SP40S AFTER MKT 8 MESSAGE STANDARD MESSAGE KIT	328.23
COO-AMT1224R	AMT1224R	8 MULTITONE,3 INPUT,WALL/CEIL,12/24 VDC,RD	106.46
COO-AMT1224RNYC	AMT1224RNYC	8 TONE,3 INPUT,WALL/CEIL,12/24 VDC,NYC,RD	106.46
COO-AMT1224W	AMT1224W	3 INPUT,8 TONE,WALL/CEIL,12/24 VDC,WHT	106.46
COO-AMT24 1575WNNW	AMT24 1575WNNW	3 INPUT,8 TONE,STRB,WALL,24VDC, 1 575CD,NO LTR,WHT	168.57
COO-AMT241575WFR	AMT241575WFR	8 MULTITONE STRB,3 INPUT,WALL,24V,1575CD,RD	168.57
COO-AMT241575WFRNYC	AMT241575WFRNYC	8 TONE STRB,3 INPUT,WALL,24 VDC,1575CD,NYC,RD	168.57
COO-AMT24MCWFR	AMT24MCWFR	8 MULTITONE STRB,3 INP,WALL,24V,15/30/75/110CD,RD	168.57
COO-AMT24MCWFW	AMT24MCWFW	8 MULTITONE STRB,3 INP,WALL,24V,15/30/75/110CD,WHT	168.57
COO-APR	APR	PLATE,ADAPTER,RD	11.26
COO-APS	APS	PLATE,ADAPTER,SILVER	11.26

COO-AS121575WFR	AS121575WFR	HN STRB,2-WIRE,WALL,12 VDC,3dB,1575CD,RD	115.97
COO-AS241575WFR	AS241575WFR	HN STRB,2-WIRE,WALL,24 VDC,3dB,1575CD,RD	115.97
COO-AS24MCCFR	AS24MCCFR	HN STRB,2-WIRE,CEIL,24 VDC,3dB,15/30/75/95CD,RD	118.04
COO-AS24MCCFW	AS24MCCFW	HN STRB,2-WIRE,CEIL,24 VDC,3dB,15/30/75/95CD,WHT	118.04
COO-AS24MCCHFR	AS24MCCHFR	HN STRB,2-WIRE,CEIL,H INT,24 VDC,115/177CD,RD	133.81
COO-AS24MCCHFV	AS24MCCHFV	HN STRB,2-WIRE,CEIL,H INT,24 VDC,115/177CD,WHT	133.81
COO-AS24MCWFR	AS24MCWFR	HN STRB,2-WIRE,WALL,24 VDC,3dB,15/30/75/110CD,RD	118.04
COO-AS24MCWFW	AS24MCWFW	HN STRB,2-WIRE,WALL,24 VDC,3dB,15/30/75/110CD,WHT	118.04
COO-AS24MCWHFR	AS24MCWHFR	HN STRB,2-WIRE,WALL,H INT,24 VDC,3dB,135/185CD,RD	133.81
COO-AS24MCWHFW	AS24MCWHFW	HN STRB,2-WIRE,WALL,H INT,24 VDC,3dB,135/185CD,WHT	133.81
COO-ASA24MCCNW	ASA24MCCNW	AUD STRB,AMBER,CEIL,24VDC, 1 5/30/75/95CD,NO LTR,WH	124.27
COO-ASA24MCCNW	ASA24MCCNW	AUD STRB,BLUE,CEIL,24VDC, 1 5/30/75/95CD,NO LTR,WH	124.27
COO-ASRAC	ASRAC	INDUSTRIAL AUDIBLE SIGNAL,42 TONES,115/230VAC,WHT	482.68
COO-ASRDC	ASRDC	INDUSTRIAL AUDIBLE SIGNAL,42 TON ES,18-30VDC,WHT	405.45
COO-ASRSADC	ASRSADC	AUDIBLE BEACON,42 TONES,18-30VDC,AMBER LENS,WHT	486.55
COO-ASRSBDC	ASRSBDC	AUDIBLE BEACON,42 TONES,18-30VDC,BLUE LENS,WHT	486.55
COO-ASRSRDC	ASRSRDC	AUDIBLE BEACON,42 TONES,18-30VDC,RED LENS,WHT	486.55
COO-ASWP2475CFR	ASWP2475CFR	H N STRB,CEIL,WTH PRF,24VDC,3dB,75CD,RD	122.19
COO-ASWP2475WFR	ASWP2475WFR	H N STRB,WALL,WTHPRF,24VDC,3dB,75CD,RD	122.19
COO-ASWP24MCCHFR	ASWP24MCCHFR	HN STRB,CEIL,HIGH INT,WTHPRF,24VDC,3dB,115/177,RD	138.55
COO-ASWP24MCCHFV	ASWP24MCCHFV	H N STRB,CEIL,HIGH INT,WTH PRF,24VDC,3dB, 115/1 77,WHT	138.55
COO-ASWP24MCWHFR	ASWP24MCWHFR	H N STRB,WALL,HIGH INT,WTHPRF,24VDC,3d B, 1 35/185,RD	138.55
COO-ASWP24MCWHFW	ASWP24MCWHFW	H N STRB,WALL,HIGH INT,WTHPRF,24VDC,3d B, 1 35/185,WHT	138.55
COO-BAT1212	BAT1212	BATTERY,12 VOLT/12 AMPERE HOUR(AH)	128.21
COO-BAT1224	BAT1224	BATTERY,12 VOLT/24 AMPERE HOUR (AH)	201.70
COO-BAT1265	BAT1265	BATTERY 12 VOLT/65 AMPERE HOUR(AH)	482.68
COO-BATCR	BATCR	BATTERY CABINET,RD	536.74
COO-BBR	BBR	BACKBOX,4" ,RD	11.26
COO-BBS	BBS	BACKBOX,4",SILVER	11.26
COO-CA3121	CA3121	COMMON AUDIBLE CONTROL UNIT,3 C.O. LINES	196.13
COO-CA6221	CA6221	COMMON AUDIBLE CONTROL UNIT,6 C.O. LINES	306.78
COO-CBB8	CBB8	BACKBOX,8" SPEAKER,RND,WHT	26.55
COO-CBB8	CBB8	BACKBOX,8" UL LISTED SPKR,RND,WHT	26.55
COO-CH70241575WFR	CH70241575WFR	CHIME STRB,SQ.,WALL,24 VDC,1575CD,RD	216.59
COO-CH7024MCWFR	CH7024MCWFR	CHIME STRB,SQ. WALL,24 VDC,15/30/75/110CD,RD	219.51
COO-CH7024MCWFW	CH7024MCWFW	CHIME STRB,SQ.,WALL,24 VDC,15/30/75/110CD,WHT	219.51
COO-CH7024MCWHFR	CH7024MCWHFR	CHIME STRB,SQ.,WALL,H INT,24 VDC,135/185CD,RD	234.26
COO-CH7024MCWHFW	CH7024MCWHFW	CHIME STRB,SQ.,WALL,H INT,24 VDC,135/185CD,WHT	234.26
COO-CH7024R	CH7024R	CHIME,SQ.,24 VDC,RD	108.50
COO-CH9024MCCFR	CH9024MCCFR	CHIME STRB,RND,CEIL,24 VDC,15/30/75/95CD,RD	219.51
COO-CH9024MCCFW	CH9024MCCFW	CHIME STRB,RND,CEIL,24 VDC,15/30/75/95CD,WHT	219.51

COO-CH9024MCCHFV	CH9024MCCHFV	CHIME STRB,RND,CEIL,24VDC,1 15/177CD,WHT	234.26
COO-CH9024W	CH9024W	CHIME,RND,24 VDC,WHT	108.50
COO-CHAT1W	CHAT1W	TEL. ALERT,CHIME,50-130 VRMS,20-30 HZ,80dB	141.90
COO-CHAT2W	CHAT2W	TEL. ALERT,CHIME,18-30 VAC/VDC,90 DB	134.28
COO-CHBT1	CHBT1	TEL.CHIME, 1000-5000SQ.FT.,50- 130VRMS,20-30HZ,90dB	205.69
COO-CHBT2	CHBT2	TEL.CHIME, 1000-5000SQ.FT., 18-30VAC/VDC,90dB	205.69
COO-CHBT4	CHBT4	TEL.CHIME, 1000-5000SQ.FT.,38-60VDC,90dB	205.69
COO-CLRDC	CLRDC	INDUSTRIAL VOICE ALARM,1MESSAGE,18-30VDC,WHT	237.58
COO-CRTT40	CRTT40	ELECTROMECHANICAL RELAY,39-150VRMS,20-30 HZ,WTHPRF	286.67
COO-CSX10115S	CSX10115S	EXPL. PROOF,SINGLE STROKE BELL,115 VAC,SLVR	1108.31
COO-CSX10115VACR	CSX10115VACR	EXPL. PROOF,SINGLE STROKE BELL,115 VAC,RD	1108.31
COO-CSX1024S	CSX1024S	EXPL. PROOF,SINGLE STROKE BELL,24 VDC,SLVR	1108.31
COO-CSX1024VDCR	CSX1024VDCR	EXPL. PROOF,SINGLE STROKE BELL,24 VDC,RD	1108.31
COO-CSXG10115S	CSXG10115S	EXPL. PROOF,SINGLE STROKE BELL,OUTDOOR,115VAC,SLVR	1886.94
COO-CSXG10115VACR	CSXG10115VACR	EXPL. PROOF,SINGLE STROKE BELL,OUTDOOR,115 VAC,RD	1886.94
COO-CSXG1024S	CSXG1024S	EXPL. PROOF,SINGLE STROKE BELL,OUTDOOR,24 VDC,SLVR	1886.94
COO-CSXG1024VDCR	CSXG1024VDCR	EXPL. PROOF,SINGLE STROKE BELL,OUTDOOR,24 VDC,RD	1886.94
COO-CVX10115S	CVX10115S	EXPL. PROOF,VIBRATING BELL,115 VAC,SLVR	1108.31
COO-CVX10115VACR	CVX10115VACR	EXPL. PROOF,VIBRATING BELL,115 VAC,RD	1108.31
COO-CVXG 1011 5VACR	CVXG 1011 5VACR	EXPL. PROOF,VIBRATING BELL,OUTDOOR, 115 VAC,RD	1886.94
COO-CVXG 10115S	CVXG 10115S	EXPL. PROOF,VIBRATING BELL,OUTDOOR, 115 VAC,SLVR	1886.94
COO-DB	DB	DEEP BASE	7.88
COO-DB1HPULA024D1D2NNNR	DB1HPULA024D1D2NNNR	MULTITONE,24VDC,100dBA,CL 1 DIV 1,RD	3839.71
COO-DB1PULA024D1D2NNNR	DB1PULA024D1D2NNNR	MULTITONE,24VDC,93dBA,CL 1 DIV 1,RD	3216.84
COO-DB3UL048N2CNRZ	DB3UL048N2CNRZ	MULTITONE,24VDC,108dBA,CL 1 DIV 2,RD	2136.53
COO-DB3UL110N2CNRZ	DB3UL110N2CNRZ	MULTITONE,110VAC,108dBA,CL 1 DIV 2,RD	2072.44
COO-DB415ULXN2CR	DB415ULXN2CR	SPKR,70 VRMS,15W TRANSFORMER,CL 1,DIV 2,RD	1244.19
COO-DB425ULXN 2CR	DB425ULXN 2CR	SPKR,70 VRMS,25W TRANSFORMER,CL 1 DIV 2,RD	1614.25
COO-DBAC	DBAC	DEEP BASE WITH AC	33.75
COO-DBBR	DBBR	BACKBOX,4" DEEP,RD	13.48
COO-DBBS	DBBS	BACKBOX,4" DEEP,SILVER	13.48
COO-DCDC	DCDC	DUAL CIRCUIT DISARRANG.,COM CTRL MOD(FOR REPAIR)	342.68
COO-DCI2424	DCI2424	DRY CONTACT INTERFACE	251.43
COO-DCMAXA	DCMAXA	DC MAX INDUST STRB,AMBER,DOUBLE FLASH,10.5-31VDC	283.15
COO-DCMAXB	DCMAXB	DC MAX INDUST STRB,BLUE,DOUBLE FLASH,10.5-31VDC	283.15
COO-DCMAXC	DCMAXC	DC MAX INDUST STRB,CLEAR,DOUBLE FLASH,10.5-31VDC	283.15
COO-DCMAXR	DCMAXR	DC MAX INDUST STRB,RED,DOUBLE FLASH,10.5-31VDC	283.15
COO-DCMAXSA	DCMAXSA	DC MAX INDUST STRB W/LIGHT,AMBER,DOUBLE FLASH,10.5-31VDC	359.11
COO-DCMAXSB	DCMAXSB	DC MAX INDUST STRB W/LIGHT,BLUE,DOUBLE FLASH,10.5-31VDC	359.11
COO-DCMAXSC	DCMAXSC	DC MAX INDUST STRB W/LIGHT,CLEAR,DOUBLE FLASH,10.5-31VDC	359.11
COO-DCMAXSR	DCMAXSR	DC MAX INDUST STRB W/LIGHT,RED,DOUBLE FLASH,10.5-31VDC	359.11

COO-DCMB	DCMB	MOTH ERBOARD,DUAL CIRCUIT (FOR REPAIR)	313.33
COO-DCPS	DCPS	PWR SUP/BAT CH MOD,6A,INTERNAL,SINGLE/DUAL CIRCUIT	413.56
COO-DSM1224R	DSM1224R	SYNC MODULE,2-CLASS "B" OR 1-CLASS "A" CIRCUIT,RD	161.88
COO-DX100	DX100	DIG VOICE PLAYBK,OUT CHAN KIT,RS232 I/F,8 CONTACTS	669.00
COO-DX200	DX200	DIG VOICE PLAYBK,OUT CHAN KIT,RS232 I/F,8 CONTACTS	1263.67
COO-E50241575WFR	E50241575WFR	2W SPKR STRB,SQ,,WALL,24VDC,1575CD,RD	142.67
COO-E50241575WFW	E50241575WFW	2W SPKR STRB,SQ,,WALL,24VDC,1575CD,WHT	142.67
COO-E5024MCWFR	E5024MCWFR	2W SPKR STRB,SQ,,WALL,24VDC,15/30/75/110CD,RD	145.72
COO-E5024MCWFW	E5024MCWFW	2W SPKR STRB,SQ,,WALL,24VDC,15/30/75/110CD,WHT	145.72
COO-E5024MCWHFR	E5024MCWHFR	2W SPKR STRB,SQ,,WALL,H INT,24VDC,135/185CD,RD	154.78
COO-E5024MCWHFW	E5024MCWHFW	2W SPKR STRB,SQ,,WALL,H INT,24VDC,135/185CD,WHT	154.78
COO-E50A24MCCNW	E50A24MCCNW	SPKR STRB,AMBER,CEIL,24V,15/30/75/95CD,NO LTR,WH	160.69
COO-E50B24MCCNW	E50B24MCCNW	SPKR STRB,BLUE,CEIL,24V,15/30/75/95CD,NO LTR,WH	160.69
COO-E50R	E50R	2W SPKR,SQ,SEMI-FLUSH,WALL,24VDC,RD	53.36
COO-E50SBR	E50SBR	BACKBOX,SURFACE FOR E50 SPKR,RD	23.38
COO-E50SBW	E50SBW	BACKBOX,SURFACE FOR E50 SPKR,WHT	23.38
COO-E50SSBR	E50SSBR	BACKBOX,SURFACE FOR E50 SPKR/STRB,RD	26.07
COO-E50SSBW	E50SSBW	BACKBOX,SURFACE FOR E50 SPKR/STRB,WHT	26.07
COO-E50W	E50W	2W SPKR,SQ,SEMI-FLUSH,WALL,24VDC,WHT	53.36
COO-E6024MCCFR	E6024MCCFR	2W SPKR STRB,RND,CEIL,24VDC,15/30/75/95CD,RD	145.72
COO-E6024MCCFW	E6024MCCFW	2W SPKR STRB,RND,CEIL,24VDC,15/30/75/95CD,WHT	145.72
COO-E6024MCCHFR	E6024MCCHFR	2W SPKR STRB,RND,CEIL,H INT,24VDC,115/177CD,RD	154.78
COO-E6024MCCHFW	E6024MCCHFW	2W SPKR STRB,RND,CEIL,H INT,24VDC,115/177CD,WHT	154.78
COO-E60EXTR	E60EXTR	EXTENDER RING FOR E60 SPEAKER,RD	11.26
COO-E60EXTW	E60EXTW	EXTENDER RING FOR E60 SPEAKER,WHT	11.26
COO-E60R	E60R	2W RND SPKR,CEIL,RD	53.36
COO-E60W	E60W	2W RND SPKR,CEIL,WHT	53.36
COO-E70241575WFN	E70241575WFN	2W SPKR STRB,SQ,WALL,24VDC,1575CD,NICKEL	174.55
COO-E70241575WFR	E70241575WFR	2W SPKR STRB,SQ,WALL,24VDC,1575CD,RD	142.67
COO-E70241575WFW	E70241575WFW	2W SPKR STRB,SQ,WALL,24VDC,1575CD,WHT	142.67
COO-E7024MCWFN	E7024MCWFN	2W SPKR STRB,SQ,WALL,24VDC,15/30/75/110CD,NICKEL	175.32
COO-E7024MCWFR	E7024MCWFR	2W SPKR STRB,SQ,WALL,24VDC,15/30/75/110CD,RD	145.72
COO-E7024MCWFW	E7024MCWFW	2W SPKR STRB,SQ,WALL,24VDC,15/30/75/110CD,WHT	145.72
COO-E7024MCWHFN	E7024MCWHFN	2W SPKR STRB,SQ,WALL,H INT,24VDC,135/185CD,NICKEL	190.07
COO-E7024MCWHFR	E7024MCWHFR	2W SPKR STRB,SQ,WALL,H INT,24VDC,135/185CD,RD	154.78
COO-E7024MCWHFW	E7024MCWHFW	2W SPKR STRB,SQ,WALL,H INT,24VDC,135/185CD,WHT	154.78
COO-E70A24MCCNW	E70A24MCCNW	SPK STRB,AMBER,SQ,CEIL,24V,15/30/75/95CD,NO LTR,WH	160.69
COO-E70B24MCCNW	E70B24MCCNW	SPK STRB,BLUE,SQ,CEIL,24V,15/30/75/95CD,NO LTR,WH	160.69
COO-E70N	E70N	2W SPKR,SQ,WALL/CEIL,NICKEL	96.65
COO-E70R	E70R	2W SPKR,SQ,WALL/CEIL,RD	53.36
COO-E70W	E70W	2W SPKR,SQ,WALL/CEIL,WHT	53.36

COO-E9024MCCFN	E9024MCCFN	2W SPKR STRB,RND,CEIL,24VDC,15/30/75/95CD,NICKEL	176.48
COO-E9024MCCFW	E9024MCCFW	2W SPKR STRB,RND,CEIL,24VDC, 1 5/30/75/95CD,WHT	145.72
COO-E9024MCCHF	E9024MCCHF	2W SPKR STRB,RND,CEIL,H INT,24VDC,115/177CD,NICKEL	190.07
COO-E9024MCCHFW	E9024MCCHFW	2W SPKR STRB,RND,CEIL,H INT,24VDC,115/177CD,WHT	154.78
COO-E90A24MCCNW	E90A24MCCNW	SPK STRB,RED,CEIL,24V,15/30/75/95CD,A LNS,NO LTR,WH	160.69
COO-E90B24MCCNW	E90B24MCCNW	SPK STRB,RED,CEIL,24V,15/30/75/95CD,B LNS,NO LTR,WH	160.69
COO-E90N	E90N	2W SPKR,RND,WALL/CEIL,NICKEL	96.65
COO-E90R	E90R	2W SPKR,RND,WALL/CEIL,RD	53.36
COO-E90W	E90W	2W SPKR,RND,WALL/CEIL,WHT	53.36
COO-ECHG50R	ECHG50R	GRILL PLATE FOR E50 SPKR,RD	9.01
COO-ECHG50W	ECHG50W	GRILL PLATE FOR E50 SPKR,WHT	9.01
COO-ECHG60R	ECHG60R	GRILL PLT E60 SPEAKER,RD	13.27
COO-ECHG60W	ECHG60W	GRILL PLT E60 SPEAKER,WHT	13.27
COO-ECHG70N	ECHG70N	GRILL PLATE FOR E70,ET70 SPKR,SQ,NICKEL	43.56
COO-ECHG70R	ECHG70R	GRILL PLATE FOR CH70,E70,ET70,SQ,RD	11.26
COO-ECHG70W	ECHG70W	GRILL PLATE FOR CH70,E70,ET70,SQ,WHT	11.26
COO-ECHG90N	ECHG90N	GRILL PLATE FOR CH70,E70,ET70 SPKR,RND,NICKEL	43.56
COO-ECHG90R	ECHG90R	GRILL PLATE FOR CH70,E70,ET70,SQ,RD	12.83
COO-ECHG90W	ECHG90W	GRILL PLATE FOR CH70,E70,ET70,SQ,WHT	12.83
COO-ECHSG50FR	ECHSG50FR	GRILL PLATE FOR E50 SPKR STRB,FIRE LTR,RD	11.26
COO-ECHSG50FW	ECHSG50FW	GRILL PLATE FOR E50 SPKR STRB,FIRE LTR,WHT	11.26
COO-ECHSG60FR	ECHSG60FR	GRILL PLT E60 SPEAKER STROBE,FIRE LTR,RD	13.27
COO-ECHSG60FW	ECHSG60FW	GRILL PLT E60 SPEAKER STROBE,FIRE LTR,WHT	13.27
COO-ECHSG70FN	ECHSG70FN	GRILL PLT E70,ET70 SPKR STRB,SQ,FIRE LTR,NICKEL	43.56
COO-ECHSG70WFR	ECHSG70WFR	GRILL PLATE FOR CH70,E70,ET70,SQ,FIRE LTR,RD	11.70
COO-ECHSG70WFW	ECHSG70WFW	GRILL PLATE FOR CH70,E70,ET70,SQ,FIRE LTR,WHT	11.70
COO-ECHSG90N	ECHSG90N	GRILL PLT CH70,E70,ET70 SPKR STRB,FIRE LTR,NICKEL	43.56
COO-ECHSG90R	ECHSG90R	GRILL PLATE FOR CH70,E70,ET70,RND,FIRE LTR,RD	11.26
COO-ECHSG90W	ECHSG90W	GRILL PLATE FOR CH70,E70,ET70,RND,FIRE LTR,WHT	11.26
COO-EN4	EN4	STROBE ENCLOSURE,NEMA-4 RATED	314.17
COO-EOLK	EOLK	END-OF-LINE RESISTOR KIT(8 EOL'S), UL LISTED	159.88
COO-EOLKEM	EOLKEM	END-OF-LINE RESISTOR KIT(32 EOL'S), UL LISTED	563.78
COO-EPS1205	EPS1205	POWER SUPPLY,ECONOMY,12 VDC,500 MA	26.99
COO-EPS1205	EPS1205	12 VDC, 500 MA	26.99
COO-EPS2401	EPS2401	POWER SUPPLY,ECONOMY,24 VDC,100 MA	22.49
COO-EPS2401	EPS2401	24 VDC, 100 MA	22.49
COO-ET1010R	ET1010R	8W VAN RES SPKR,SURFACE MNT,WALL/CEIL,RD	97.72
COO-ET1010W	ET1010W	8W VAN RES SPKR,SURFACE MNT,WALL/CEIL,WHT	97.72
COO-ET1080R	ET1080R	8W VAN RES SPKR,FLUSH MNT,WALL/CEIL,RD	88.74
COO-ET70241575WFN	ET70241575WFN	8W SPKR STRB,WALL,24 VDC,1575CD,NICKEL	183.26
COO-ET70241575WFR	ET70241575WFR	8W SPKR STRB,WALL,24 VDC,1575CD,RD	164.04

COO-ET70241575WFW	ET70241575WFW	8W SPKR STRB,WALL,24 VDC,1575CD,WHT	164.04
COO-ET7024MCWFN	ET7024MCWFN	8W SPKR STRB,WALL,24 VDC,15/30/75/110CD,NICKEL	186.18
COO-ET7024MCWFR	ET7024MCWFR	8W SPKR STRB,WALL,24 VDC,15/30/75/110CD,RD	164.07
COO-ET7024MCWFW	ET7024MCWFW	8W SPKR STRB,WALL,24 VDC,15/30/75/110CD,WHT	164.07
COO-ET7024MCWHFN	ET7024MCWHFN	8W SPKR STRB,WALL,H INT,24VDC, 135/185CD,NICKEL	201.70
COO-ET7024MCWHFR	ET7024MCWHFR	8W SPKR STRB,WALL,H INT,24VDC,135/185CD,RD	176.68
COO-ET7024MCWHFW	ET7024MCWHFW	8W SPKR STRB,WALL,H INT,24VDC, 135/185CD,WHT	176.68
COO-ET70N	ET70N	8W SQ SPKR,WALL/CEIL,24VDC,NICKEL	104.09
COO-ET70R	ET70R	8W SQ SPKR,WALL/CEIL,24VDC,RD	76.27
COO-ET70W	ET70W	8W SQ SPKR,WALL/CEIL,24VDC,WHT	76.27
COO-ET70WP24177CFR	ET70WP24177CFR	8W SPKR STRB,CEIL,WTHPRF,177CD,RD	195.09
COO-ET70WP24177CFW	ET70WP24177CFW	8W SPKR STRB,CEIL,WTHPRF,177CD,WHT	195.09
COO-ET70WP24185WFR	ET70WP24185WFR	8W SPKR STRB,WALL,WTHPRF,185CD,RD	195.09
COO-ET70WP24185WFW	ET70WP24185WFW	8W SPKR STRB,WALL,WTHPRF,185CD,WHT	195.09
COO-ET70WP2475CFR	ET70WP2475CFR	8W SPKR STRB,CEIL,WTHPRF,24 VDC,75CD,RD	180.38
COO-ET70WP2475CFW	ET70WP2475CFW	8W SPKR STRB,CEIL,WTHPRF,24 VDC,75CD,WHT	180.38
COO-ET70WP2475WFR	ET70WP2475WFR	8W SPKR STRB,WALL,WTHPRF,24 VDC,75CD,RD	180.38
COO-ET70WP2475WFR	ET70WP2475WFR	SPKR STRB,WALL,WTHPRF,24VDC,75CD,RD	180.38
COO-ET70WP2475WFW	ET70WP2475WFW	8W SPKR STRB,WALL,WTHPRF,24 VDC,75CD,WHT	180.38
COO-ET70WPA2475WNNW	ET70WPA2475WNNW	SPKR STRB,AMBER,WALL,WTHPRF,24VDC,75CD,NO LTR,WH	186.18
COO-ET80241575WFR	ET80241575WFR	8W VAN RES SPKR STRB,WALL,H INT,24VDC,1575CD,RD	169.15
COO-ET80241575WFW	ET80241575WFW	8W VAN RES SPKR STRB,WALL,H INT,24V,1575CD WHT	169.15
COO-ET8024MCWFR	ET8024MCWFR	8W VAN RES SPKR STRB,WALL,24VDC,15/30/75/110CD,RD	169.15
COO-ET8024MCWFW	ET8024MCWFW	8W VAN RES SPKR STRB,WALL,24VDC,15/30/75/110CD,WHT	169.15
COO-ET8024MCWHFR	ET8024MCWHFR	8W VAN RES SPKR STRB,WALL,H INT,24VDC,135/185CD,RD	184.62
COO-ET8024MCWHFW	ET8024MCWHFW	8W VAN RES SPKR STRB,WALL,H INT,24V,135/185CD WHT	184.62
COO-ET9024MCCFN	ET9024MCCFN	8W SPKR STRB,CEIL,24 VDC,15/30/75/95CD,NICKEL	186.18
COO-ET9024MCCFR	ET9024MCCFR	8W SPKR STRB,CEIL,24 VDC,15/30/75/95CD,RED	164.07
COO-ET9024MCCFW	ET9024MCCFW	8W SPKR STRB,CEIL,24 VDC,15/30/75/95CD,WHT	164.07
COO-ET9024MCCHF	ET9024MCCHF	8W SPKR STRB,CEIL,H INT,24VDC,115/177CD,NICKEL	201.70
COO-ET9024MCCHFW	ET9024MCCHFW	8W SPKR STRB,CEIL,H INT,24VDC,115/177CD,WHT	176.68
COO-ET9024MCCNW	ET9024MCCNW	8W SPKR STRB,CEIL,24 VDC,15/30/75/95CD,NO LTR,WHT	164.07
COO-ET90N	ET90N	8W RND SPKR,WALL/CEIL,24VDC,NICKEL	104.09
COO-ET90R	ET90R	8W RND SPKR,WALL/CEIL,24VDC,RD	78.31
COO-ET90W	ET90W	8W RND SPKR,WALL/CEIL,24VDC,WHT	78.31
COO-EWP	EWP	STRB ENCLOSURE AND DRAIN SCREEN,STROBE,WTHPRF	279.28
COO-EWR	EWR	STRB ENCLOSURE AND DRAIN SCREEN,STROBE	279.28
COO-FLSADC	FLSADC	AUDIBLE BEACON,1 TONE,18-30VDC,AMBER LENS,WHT	120.53
COO-FLSBDC	FLSBDC	AUDIBLE BEACON,1 TONE,18-30VDC,BLUE LENS,WHT	120.53
COO-FLSRDC	FLSRDC	AUDIBLE BEACON,1 TONE,18-30VDC,RED LENS,WHT	120.53
COO-HS24R	HS24R	HN STRB,4-WIRE,WALL,24 VDC,RD	55.53

COO-HS24W	HS24W	HN STRB,4-WIRE,WALL,24 VDC,WHT	55.53
COO-HS4241575WFR	HS4241575WFR	HN STRB,4-WIRE,WALL,24 VDC,15/75CD,RD	134.64
COO-HS4241575WFW	HS4241575WFW	HN STRB,4-WIRE,WALL,24 VDC,15/75CD,WHT	134.64
COO-HS424MCWFR	HS424MCWFR	HN STRB,4-WIRE,WALL,24 VDC,15/30/75/110CD,RD	136.68
COO-HS424MCWFW	HS424MCWFW	H N STRB,4-WIRE,WALL,24 VDC,15/30/75/110CD,WHT	136.68
COO-HS424MCWHFR	HS424MCWHFR	HN STRB,4-WIRE,WALL,H INT,24 VDC,135/185CD,RD	145.28
COO-HS424MCWHFW	HS424MCWHFW	HN STRB,4-WIRE,WALL,H INT,24 VDC,135/185CD,WHT	145.28
COO-IOBR	IOBR	BACKBOX,SURFACE,IN/OUT,RD	23.61
COO-IOBW	IOBW	BACKBOX,SURFACE,IN/OUT,WHT	23.61
COO-ISP2R	ISP2R	EXTENDER,SUFACE,INDOOR,RD	6.07
COO-ISP2W	ISP2W	EXTENDER,SUFACE,INDOOR,WHT	6.07
COO-ISP2W	ISP2W	INDOOR SUR. EXTENDER,WHITE - NEW	6.07
COO-LEMD	LEMD	LED ILLUMINATED EMERGENCY TEXT MESSAGE DISPLAY	296.74
COO-LIMM	LIMM	LINE LEVEL INTERFACE MODULE	150.79
COO-MAXA	MAXA	MAX LENS,AMBER	50.96
COO-MAXB	MAXB	MAX LENS,BLUE	50.96
COO-MAXC	MAXC	MAX LENS,CLEAR	50.96
COO-MAXR	MAXR	MAX LENS,RED	50.96
COO-MBG1012R	MBG1012R	MOTOR BELL,INDOOR/OUTDOOR,12 VDC,10" SHELL,RD	94.96
COO-MBG1012S	MBG1012S	MOTOR BELL,INDOOR/OUTDOOR,12 VDC,10" SHELL,SILVER	99.70
COO-MBG1024R	MBG1024R	MOTOR BELL,INDOOR/OUTDOOR,24 VDC,10" SHELL,RD	94.96
COO-MBG1024S	MBG1024S	MOTOR BELL,INDOOR/OUTDOOR,24 VDC,10" SHELL,SILVER	99.70
COO-MBG612R	MBG612R	MOTOR BELL,INDOOR/OUTDOOR,12 VDC,6" SHELL,RD	71.73
COO-MBG612S	MBG612S	MOTOR BELL,INDOOR/OUTDOOR,12 VDC,6" SHELL,SILVER	73.48
COO-MBG624R	MBG624R	MOTOR BELL,INDOOR/OUTDOOR,24 VDC,6" SHELL,RD	71.73
COO-MBG624S	MBG624S	MOTOR BELL,INDOOR/OUTDOOR,24 VDC,6" SHELL,SILVER	73.48
COO-MBG66R	MBG66R	MOTOR BELL,INDOOR/OUTDOOR,6VDC,6" SHELL,RD	72.06
COO-MDX2	MDX2	DIG VOICE 2 CH OUT MOD,8 MESS,4M MEM,2 MIN,SMK INC	401.59
COO-MIDAC	MIDAC	INDUSTRIAL AUDIBLE SIGNAL,32 TONES,11 5/230VAC,WHT	192.01
COO-MIDDC	MIDDC	INDUSTRIAL AUDIBLE SIGNAL,32 TONES,9-60 VDC,WHT	155.96
COO-MIDSAAC	MIDSAAC	AUDIBLE BEACON,32 TONES,115/230VAC,AMBER LENS,WHT	250.19
COO-MIDSADC	MIDSADC	AUDIBLE BEACON,32 TONES,9-60 VDC,AMBER LENS,WHT	211.40
COO-MIDSBAC	MIDSBAC	AUDIBLE BEACON,32 TONES,115/230VAC,BLUE LENS,WHT	250.19
COO-MIDSBDC	MIDSBDC	AUDIBLE BEACON,32 TONES,9-60 VDC,BLUE LENS,WHT	211.40
COO-MIDSRAC	MIDSRAC	AUDIBLE BEACON,32 TONES,115/230VAC,RED LENS,WHT	250.19
COO-MIDSRDC	MIDSRDC	AUDIBLE BEACON,32 TONES,9-60 VDC,RED LENS,WHT	211.40
COO-MIZ24SR	MIZ24SR	MINI HORN,WALL,24 VDC,TEMPORAL/CONTINUOUS,RD	26.99
COO-MIZ24SW	MIZ24SW	MINI HORN,WALL,24 VDC,TEMPORAL/CONTINUOUS,WHT	26.99
COO-MPS100	MPS100	MANUAL PULL STATION,SPST,SINGLE ACTION,KEY RESET	79.67
COO-MPS200	MPS200	MANUAL PULL STATION,SPST,DOUBLE ACTION,KEY RESET	99.85
COO-MPS300	MPS300	MANUAL PULL STATION,DPST,DOUBLE ACTION,KEY RESET	113.93

COO-MPS400X	MPS400X	MANUAL PULL STATION,EXPLOSION PROOF KEY RESET	1059.25
COO-MPSISB	MPSISB	MANUAL PULL STATION SURFACE BACKBOX,INDOOR	32.62
COO-MPSRODS	MPSRODS	MANUAL PULL STATION REPLACE. BREAKRODS(12),ACRYLIC	26.99
COO-MPSWP	MPSWP	MANUAL PULL STATION BACKBOX W/GASKET,WEATHERPROOF	118.04
COO-MT1 224W	MT1 224W	8 M ULTITONE,FLUSH,WALL/CEIL, 12/24VDC,WHT	55.53
COO-MT121575WFR	MT121575WFR	8 MULTITONE STRB,WALL,12 VDC,1575CD, RD	134.64
COO-MT121575WNW	MT121575WNW	8 MULTITONE STRB,WALL,12 VDC,1575CD,NO LTR,WHT	134.64
COO-MT121575WNW	MT121575WNW	MULTITONE,WALL,12 VDC,1575CD,NO LTR,WHT	134.64
COO-MT1224R	MT1224R	8 MULTITONE,FLUSH,WALL/CEIL,12/24 VDC,RD	55.53
COO-MT24 1 575WFR	MT24 1 575WFR	8 M ULTITONE STRB,WALL,24VDC, 15/75CD,RD	134.64
COO-MT24MCWAR	MT24MCWAR	8 TONE STRB,WALL,24 VDC, 15/30/75/1 10CD,ALARM,RD	134.64
COO-MT24MCWFR	MT24MCWFR	8 MULTITONE STRB,WALL,24 VDC,15/30/75/110CD,RD	134.64
COO-MT24MCFW	MT24MCFW	8 M ULTITONE STRB,WALL,24 VDC, 15/30/75/1 10CD,WHT	134.64
COO-MT24MCWNW	MT24MCWNW	8 TONE STRB,WALL,24 VDC,15/30/75/110CD,NO LTR,WHT	134.64
COO-MT41 15S	MT41 15S	8 MULTITONE,SURFACE,WALL/CEIL, 1 15VAC,SILVER	68.59
COO-MT4115R	MT4115R	8 MULTITONE,SURFACE,WALL/CEIL,115 VAC,RD	68.59
COO-MT4115WHVFR	MT4115WHVFR	8 TONE VERTICAL STRB,WALL,115VAC,15CD,RD	135.85
COO-MT4115WHVNS	MT4115WHVNS	8 TONE VERTICAL STRB,WALL,115VAC,15CD,NO LTR,GRAY	135.85
COO-MT41224R	MT41224R	8 MULTITONE,WALL/CEIL,12/24 VDC,RD	68.59
COO-MT41224S	MT41224S	8 MULTITONE,WALL/CEIL,12/24 VDC,SILVER	68.62
COO-MTA121575WNW	MTA121575WNW	MULTITONE,AMBER,WALL,12 VDC,1575CD,NO LTR,WH	137.81
COO-MTA24MCCHNW	MTA24MCCHNW	MULTITONE,AMBER,CEIL,H INT,24V,115/177CD,NO LTR,WH	149.24
COO-MTB24MCCHNW	MTB24MCCHNW	MULTITONE,BLUE,CEIL,H INT,24V,1 15/177CD,NO LTR,WH	149.24
COO-MTG24MCCHNW	MTG24MCCHNW	MULTITONE,GREEN,CEIL,H INT,24V,1 15/177CD,NO LTR,WH	149.24
COO-MTH24	MTH24	MULTI-TONE HORN,INDOOR/OUTDOOR,1 17dB,WARBLE/STEADY	345.48
COO-MTR24MCCHNW	MTR24MCCHNW	MULTITONE,RED,CEIL,H INT,24V,1 15/177CD,NO LTR,WH	149.24
COO-MTWP2475CFR	MTWP2475CFR	8 MULTITONE STRB,CEIL,WTHPRF,24 VDC,75CD,RD	144.50
COO-MTWP2475CFW	MTWP2475CFW	8 MULTITONE STRB,CEIL,WTHPRF,24 VDC,75CD,WHT	144.50
COO-MTWP2475WFR	MTWP2475WFR	8 MULTITONE STRB,WALL,WTHPRF,24 VDC,75CD,RD	144.50
COO-MTWP2475WNW	MTWP2475WNW	M ULTITON E,WALL,WTHPRF,24V,75CD,NO LTR,WHT	144.50
COO-MTWP2475WNW	MTWP2475WNW	8 MULTITONE STRB,WALL,WTHPRF,24VDC,75CD,NO LTR,WHT	144.50
COO-MTWP24MCCHFR	MTWP24MCCHFR	8 TONE STRB,CEIL,H INT,WTHPRF,24 VDC,115/177CD,RD	155.76
COO-MTWP24MCCHFW	MTWP24MCCHFW	8 TONE STRB,CEIL,H INT,WTHPRF,24 VDC,115/177CD,WHT	155.76
COO-MTWP24MCWHFR	MTWP24MCWHFR	8 TONE STRB,WALL,H INT,WTHPRF,24 VDC,135/185CD,RD	155.76
COO-MTWP24MCWHFW	MTWP24MCWHFW	8 TONE STRB,WALL,H INT,WTHPRF,24 VDC,135/185CD,WHT	155.76
COO-MTWPA2475WNW	MTWPA2475WNW	M ULTITON E,AMBER,WALL,WTHPRF,24V,75CD,NO LTR,WHT	146.67
COO-MTWPA24MCCH NW	MTWPA24MCCH NW	M ULTITON E,AMBER,CEIL,H INT,WTHPRF,24V, 115/1 77CD,NO LTR,WH	161.67
COO-MTWPB24MCCHNW	MTWPB24MCCHNW	MULTITONE,BLUE,CEIL,H INT,WTHPRF,24V,115/177CD,NO LTR,WH	161.67
COO-MTWPG24MCCHNW	MTWPG24MCCHNW	MULTITONE,GREEN,CEIL,H INT,WTHPRF,24V,115/177CD,NO LTR,WH	161.67
COO-MTWPR24MCCHNW	MTWPR24MCCHNW	M ULTITON E,RED,CEIL,H INT,WTHPRF,24V, 115/ 177CD,NO LTR,WH	161.67
COO-NACIM	NACIM	NOTIFICATION APPLIANCE CIRCUIT INTERFACE MODULE	157.92

COO-NATPR	NATPR	TRIM PLATE,NOTIFICATION APPLIANCE,RD	10.13
COO-NATPW	NATPW	TRIM PLATE,NOTIFICATION APPLIANCE,WHT	10.13
COO-NH1224RR	NH1224RR	HORN,RND,FLUSH,CEIL,12/24 VDC,2dB,RD	54.46
COO-NH1224RW	NH1224RW	HORN,RND,FLUSH,CEIL,12/24 VDC,2dB,WHT	54.46
COO-NPSB	NPSB	PUSH STATION,BLUE	137.81
COO-NPSG	NPSG	PUSH STATION,GREEN	137.81
COO-NPSNC	NPSNC	PUSH STATION,NORMALLY CLOSED CONTACT	22.49
COO-NPSNO	NPSNO	PUSH STATION,NORMALLY OPEN CONTACT	22.49
COO-NPSR	NPSR	PUSH STATION,RED	137.81
COO-NPSW	NPSW	PUSH STATION,WHITE	137.81
COO-NPSY	NPSY	PUSH STATION,YELLOW	137.81
COO-NS121575WFR	NS121575WFR	HN STRB,WALL,12 VDC,2dB,1575CD,RD	113.93
COO-NS241575WFR	NS241575WFR	HN STRB,WALL,24 VDC,2dB,1575CD,RD	113.93
COO-NS24MCCFR	NS24MCCFR	HN STRB,RND,CEIL,24 VDC,2dB,15/30/75/95CD,RD	115.97
COO-NS24MCCFW	NS24MCCFW	HN STRB,RND,CEIL,24 VDC,2dB,15/30/75/95CD,WHT	115.97
COO-NS24MCCHFR	NS24MCCHFR	HN STRB,RND,CEIL,24 VDC,2dB,1 15/177CD,RD	131.73
COO-NS24MCCHFW	NS24MCCHFW	HN STRB,RND,CEIL,24 VDC,2dB,115/177CD,WHT	131.73
COO-NSPR	NSPR	GRILL PLATE FOR NS,RD	9.01
COO-NSPW	NSPW	GRILL PLATE FOR NS,WHT	9.01
COO-NSPWFR	NSPWFR	GRILL PLATE FOR NS,FIRE LTR,RD	10.13
COO-NSPWFW	NSPWFW	GRILL PLATE FOR NS,FIRE LTR,WHT	10.13
COO-PBUL4C6C4DSN7R	PBUL4C6C4DSN7R	PUSH BUTTON,CL 1 DIV 2,FIRE LABEL,RD	1223.61
COO-PRM 150	PRM 150	PRE-AM PLIFIER,LINE LEVEL,VOLUME CONTROL	132.56
COO-PRM150	PRM150	Pre-amplifier, line level, volume control	132.56
COO-PS11AWPW	PS11AWPW	TEL.STROBE,40-130VRMS,15-68 HZ,115VAC(110VAC REQD)	184.07
COO-PS15AWPW	PS15AWPW	TEL.STROBE,50-130VRMS,20-30 Hz,8,000 PCP	145.04
COO-PS248MC	PS248MC	FLTRD/REGULATED POWER SUPPLY/CHARGER,8AMP,24VDC,RD	947.75
COO-PS33AWPW	PS33AWPW	TEL.STROBE,18-30 VAC/VDC 25,000 PCP	163.81
COO-PS4CA	PS4CA	PS-24-8MC PLUG-IN MODULE,4-CLASS "A" CIRCUITS,RD	152.01
COO-ROSDC	ROSDC	INDUSTRIAL AUDIBLE SIGNAL,32 TONES,9-28VDC,WHT	54.67
COO-RPR	RPR	RETROFIT PLATE,RD	11.26
COO-RPS	RPS	PLATE,RETROFIT,SILVER	11.26
COO-RPS2406	RPS2406	POWER SUPPLY,REGULATED,24 VDC,600 MA	106.22
COO-RPS2406	RPS2406	24 VDC, 600 MA	106.22
COO-RPS2440	RPS2440	PWR SUPPLY,REG,24 VDC,1 4AMP OUT or 2 2AMP OUT	393.88
COO-RPS2440	RPS2440	POWER SUPPLY,REG,24 VDC,1 4AMP OR 2 2AMP OUT	393.88
COO-RPS2440	RPS2440	24 VDC, ONE 4 AMP or TWO 2 AMP OUTPUTS	393.88
COO-RSS121575WFR	RSS121575WFR	STRB,WALL,12 VDC,1575CD,RD	88.80
COO-RSS121575WNW	RSS121575WNW	STRB,WALL,12 VDC,1575CD,NO LTR,WHT	88.80
COO-RSS241 575WFR	RSS241 575WFR	STRB,WALL,24 VDC, 1 575CD,RD	88.80
COO-RSS241575WNW	RSS241575WNW	STRB,WALL,24 VDC,1575CD,NO LTR,WHT	88.80

COO-RSS24MCCHNW	RSS24MCCHNW	STRB,CEIL,H INT,24 VDC,115/185CD,NO LTR,WHT	106.22
COO-RSS24MCCHRFR	RSS24MCCHRFR	STRB,ROUND,H INT,CEIL,24 VDC,1 15/177CD,RD	106.22
COO-RSS24MCCHRFW	RSS24MCCHRFW	STRB,ROUND,H INT,CEIL,24 VDC,115/177CD,WHT	106.22
COO-RSS24MCCNW	RSS24MCCNW	STRB,CEIL,24 VDC, 1 5/30/75/95CD,NO LTR,WHT	90.07
COO-RSS24MCCNW	RSS24MCCNW	STRB,CEIL,24VDC, 15/30/75/95CD,NO LTR,WHT	90.07
COO-RSS24MCCRFR	RSS24MCCRFR	STRB,ROUND,CEIL,24 VDC,15/30/75/95CD,RD	90.07
COO-RSS24MCCRFW	RSS24MCCRFW	STRB,ROUND,CEIL,24 VDC, 15/30/75/95CD,WHT	90.07
COO-RSS24MCWDW	RSS24MCWDW	STRB,WALL,24 VDC, 15/30/75/1 10CD,DOOR LTR,WHT	90.07
COO-RSS24MCWHNW	RSS24MCWHNW	STRB,WALL,H INT,24 VDC, 135/185CD,NO LTR,WHT	106.22
COO-RSSA24MCCHNW	RSSA24MCCHNW	STRB,AMBER,CEIL,H INT,24VDC,115/177CD,NO LTR,WHT	109.78
COO-RSSA24MCCNW	RSSA24MCCNW	STRB,AMBER,CEIL,24VDC, 1 5/30/75/95CD,NO LTR,WHT	109.78
COO-RSSB24MCCHNW	RSSB24MCCHNW	STRB,BLUE,CEIL,H INT,24VDC,115/177CD,NO LTR,WHT	109.78
COO-RSSB24MCCNW	RSSB24MCCNW	STRB,BLUE,CEIL,24VDC, 15/30/75/95CD,NO LTR,WHT	109.78
COO-RSSCPR	RSSCPR	PLATE FOR RSS,RD	9.01
COO-RSSCPW	RSSCPW	PLATE FOR RSS,WHT	9.01
COO-RSSCPWFR	RSSCPWFR	PLATE FOR RSS,FIRE LTR,RD	10.13
COO-RSSCPWFW	RSSCPWFW	PLATE FOR RSS,FIRE LTR,WHT	10.13
COO-RSSG24MCCHNW	RSSG24MCCHNW	STRB,GREEN,CEIL,H INT,24VDC,115/177CD,NO LTR,WHT	109.78
COO-RSSG24MCCNW	RSSG24MCCNW	STRB,GREEN,CEIL,24VDC, 1 5/30/75/95CD,NO LTR,WHT	109.78
COO-RSSP121575WFR	RSSP121575WFR	STRB PLATE,WALL,12 VDC,1575CD,RD	113.93
COO-RSSP241575WFR	RSSP241575WFR	STRB PLATE,WALL,24 VDC,1575CD,RD	113.93
COO-RSSP24MCWFR	RSSP24MCWFR	STRB PLATE,WALL,24 VDC, 15/30/75/1 10CD,RD	113.93
COO-RSSP24MCWHFR	RSSP24MCWHFR	STRB PLATE,WALL,H INT,24 VDC,135/185CD,RD	141.87
COO-RSSPA24MCCNW	RSSPA24MCCNW	STRB PLT,AMBER,24VDC, 15/30/75/1 10CD,NO LTR,WHT	120.12
COO-RSSR24MCCHNW	RSSR24MCCHNW	STRB,RED,CEIL,H INT,24VDC 115/ 177CD,NO LTR,WHT	109.78
COO-RSSR24MCCNW	RSSR24MCCNW	STRB,RED,CEIL,24VDC, 1 5/30/75/95CD,,NO LTR,WHT	109.78
COO-RSSRPFR	RSSRPFR	PLATE FOR RSS,RND,FIRE LTR,RD	12.36
COO-RSSRPFW	RSSRPFW	PLATE FOR RSS,RND,FIRE LTR,WHT	12.36
COO-RSSRPR	RSSRPR	PLATE FOR RSS,RND,RD	12.36
COO-RSSRPW	RSSRPW	PLATE FOR RSS,RND,WHT	12.36
COO-RSSWP2475CFR	RSSWP2475CFR	STRB,CEIL,WTH PRF,24 VDC,75CD,RD	105.45
COO-RSSWP2475CFW	RSSWP2475CFW	STRB,CEIL,WTH PRF,24 VDC,75CD,WHT	105.45
COO-RSSWP2475WFR	RSSWP2475WFR	STRB,WALL,WTHPRF,24 VDC,75CD,RD	105.45
COO-RSSWP2475WFW	RSSWP2475WFW	STRB,WALL,WTHPRF,24 VDC,75CD,WHT	105.45
COO-RSSWP2475WNW	RSSWP2475WNW	STRB,WALL,WTHPRF,24VDC,75CD,NO LTR,WHT	105.45
COO-RSSWP2475WNW	RSSWP2475WNW	STRB,WALL,WTHPRF,24 VDC,75CD,NO LTR,WHT	105.45
COO-RSSWP24MCCHFR	RSSWP24MCCHFR	STRB,CEIL,H INT,WTHPRF,24 VDC, 115/1 77CD,RD	120.06
COO-RSSWP24MCCHFW	RSSWP24MCCHFW	STRB,CEIL,H INT,WTHPRF,24 VDC, 115/1 77CD,WHT	120.06
COO-RSSWP24MCWHFR	RSSWP24MCWHFR	STRB,WALL,H INT,WTH PRF,24 VDC, 135/ 185CD,RD	120.06
COO-RSSWP24MCWHFW	RSSWP24MCWHFW	STRB,WALL,H INT,WTH PRF,24 VDC, 135/ 185CD,WHT	120.06
COO-RSSWPA2475WNW	RSSWPA2475WNW	STRB,AMBER,WALL,WTHPRF,24VDC,75CD,NO LTR,WHT	111.67

COO-RSSWPA24MCCHNW	RSSWPA24MCCHNW	STRB,AMBER,CEIL,H INT,WPRF,24V, 115/1 77CD,NO LTR,WH	126.28
COO-RSSWPB24MCCHNW	RSSWPB24MCCHNW	STRB,BLUE,CEIL,HINT,WPF,24V, 115/1 77CD,NO LTR,WH	126.28
COO-RSSWPG24MCCH NW	RSSWPG24MCCH NW	STRB,GREEN,CEIL,HINT,WPF,24V, 115/1 77CD,O LTR,WH	126.28
COO-RSSWPR24MCCH NW	RSSWPR24MCCH NW	STRB,RED,CEIL,HINT,WPF,24V, 115/1 77CD,NO LTR,WH	126.28
COO-S824MCCFW	S824MCCFW	8" SPKR,RND,CEIL,25/70V,15/30/75/95CD,WHT	164.85
COO-S824MCCHFV	S824MCCHFV	8" SPKR,RND,CEIL,HI INT,25/70V,115/177CD,WHT	179.39
COO-S87025	S87025	8" SPKR,RND,CEIL,25/70V,WHT	106.22
COO-SABC	SABC	BATTERY CHARGER MODULE,MULTI/REMOTE SAFEPATH	354.49
COO-SAH15B	SAH15B	SELF AMPLIFIED HORN,24VDC,5W,VOLUME CONTROL,BEIGE	213.33
COO-SAH5B	SAH5B	SELF AMPLIFIED HORN,24VDC,15W,VOLUME CONTROL,BEIGE	205.57
COO-SAPS	SAPS	POWER SUPPLY BOARD,MULTI/REMOTE SAFEPATH,20A@24VDC	568.64
COO-SAS7024MCCFR	SAS7024MCCFR	SELF AMP SKR STRB,SQ,CEIL,24VDC,15/30/75/110CD,RD	190.07
COO-SAS7024MCWFW	SAS7024MCWFW	SELF AMP SKR STRB,SQ,WALL,24VDC, 15/30/75/1 10CD,WHT	190.07
COO-SAS70FW	SAS70FW	SELF AMPLIFIED SPKR,SQ,WALL/CEIL,24 VDC,WHT	143.88
COO-SAS70R	SAS70R	SELF AMPLIFIED SPKR,SQ,WALL/CEIL,24 VDC,RD	143.88
COO-SAS9024MCCFR	SAS9024MCCFR	SELF AMP SKR STRB,RND,CEIL,24VDC,15/30/75/95CD,RD	190.07
COO-SAS9024MCCFW	SAS9024MCCFW	SELF AMP SKR STRB,RND,CEIL,24VDC,15/30/75/95CD,WHT	190.07
COO-SAS90R	SAS90R	SELF AMPLIFIED SPKR,RND,WALL/CEIL,24 VDC,RD	143.88
COO-SAS90W	SAS90W	SELF AMPLIFIED SPKR,RNDWALL/CEIL,24 VDC,WHT	143.88
COO-SBBR	SBBR	BACKBOX,SURFACE,RD	26.31
COO-SBBW	SBBW	BACKBOX,SURFACE,WHT	26.31
COO-SBL2R	SBL2R	BACKBOX,SURFACE FOR RSSP,RD	31.50
COO-SCMB	SCMB	MOTHERBOARD,SINGLE CIRCUIT	284.88
COO-SERR	SERR	EXTENSION RING,SURFACE,RD	19.11
COO-SERW	SERW	EXTENSION RING,SURFACE,WHT	19.11
COO-SFPR	SFPR	PLATE,SEMI-FLUSH ,RD	10.34
COO-SFPS	SFPS	PLATE,SEMI-FLUSH,SILVER	10.34
COO-SHBBR	SHBBR	BACKBOX,SURFACE FOR NS/AS/RSS,RD	19.11
COO-SHMPR	SHMPR	PLATE,ADAPTER,STH-15SR HORN SPKR TO RSSP PLATE,RD	17.99
COO-SHMPW	SHMPW	PLATE,ADAPTER,STH-15SR HORN SPKR TO RSSP PLATE,WHT	17.99
COO-SLSADC	SLSADC	INDUSTRIAL BEACON,10-60VDC,AMBER LENS,WHT	71.17
COO-SLSBDC	SLSBDC	INDUSTRIAL BEACON, 10-60VDC,BLUE LENS,WHT	71.17
COO-SLSRDC	SLSRDC	INDUSTRIAL BEACHON,10-60VDC,RED LENS,WHT	71.17
COO-SM1224R	SM1224R	SYNC MODULE,SINGLE CIRCUIT,1-CLASS "B",RD	112.06
COO-SM87HXBAUL024CN4L4RNNR	SM87HXBAUL024CN4L4RNNR	STRB,CLEAR LENS,24VDC,29CD,CLASS 1 DIV 1,RD	2519.24
COO-SM87HXBAUL024RN4L4RNNR	SM87HXBAUL024RN4L4RNNR	STRB,RED LENS,24VDC,29CD,CLASS 1 DIV 1,RD	2519.24
COO-SM87HXBAUL110AN3R3LNNR	SM87HXBAUL110AN3R3LNNR	STRB,AMBER LENS,110VAC,29CD,CLASS 1 DIV 1,RD	2443.66
COO-SM87HXBAUL110RN3R3LNNR	SM87HXBAUL110RN3R3LNNR	STRB,RED LENS,110VAC,29CD,CLASS 1 DIV 1,RD	2443.66
COO-SM87PBLAUL3T3B3NNR	SM87PBLAUL3T3B3NNR	PUSH BUTTON,CL 1 DIV 1,FIRE LABEL,RD	2176.40
COO-SP40MB	SP40MB	MOTH ERBOARD,SP40/2	1095.67
COO-SP40S	SP40S	SAFEPATH MULTIFUNCTION FACILITY COMMUNICATIONS SYS	3357.43

COO-SP40SB	SP40SB	SAFEPATH MULTIFUNCTION FACILITY COMMUN SYS,BLK	3357.43
COO-SP40XFMR	SP40XFMR	TRANSFORMER/FUSE ASSEMBLY,SP40/2	298.82
COO-SP4APS	SP4APS	SP4 ADDRESSABLE PAGING SPLITTER	836.25
COO-SP4LOCFB	SP4LOCFB	LOCAL OPERATOR CONSOLE,FLUSH MOUNT	2822.41
COO-SP4LOCKIT	SP4LOCKIT	SP-4-LOC HVAC EMERGENCY CUTOFF KIT	521.30
COO-SP4LOCSB	SP4LOCSB	LOCAL OPERATOR CONSOLE,SURFACE MOUNT	2822.41
COO-SP4RMX	SP4RMX	SP4 MICROPHONE EXPANSION MODULE,BLK	817.67
COO-SP4TZC	SP4TZC	SP 4 ADDRESSAGE ZONE CONTROLER	1315.69
COO-SP4ZAB	SP4ZAB	SP40S SPKR SPLITTER,4 ZONE CLASS B OR 2 ZONE CLASS A	501.99
COO-SPB160	SPB160	SP40S SUPERVISED AUDIO POWER BOOSTER,160W,RD	3357.43
COO-SPB160B	SPB160B	SP40S SUPERVISED AUDIO POWER BOOSTER,160W,BLK	3357.43
COO-SPB160MB	SPB160MB	MOTHERBOARD,SPB-160	732.92
COO-SPB320	SPB320	AUDIO POWER BOOSTER,320W	6480.62
COO-SPB804	SPB804	SP SUPERV AUDIO POWER BOOSTER,80W,4A STRB PWR,RD	3357.43
COO-SPB804B	SPB804B	SP SUPERV AUDIO POWER BOOSTER,80W,4A STRB PWR,BLK	3357.43
COO-SPB804MB	SPB804MB	MOTH ERBOARD,SPB-80	732.92
COO-SPBSAPS	SPBSAPS	POWER SUPPLY BOARD,SPB160 OR SPB-80/4	568.64
COO-SPBX160	SPBX160	SAFEPATH SPB-160 REPLACEMENT MOTHER BOARD	1771.60
COO-SPCOA	SPCOA	SP40S CO PORT ADAPTER(REC. 24VDC PWR SUP RPS-2406)	252.12
COO-SPMB4Z	SPMB4Z	SPB AUDIO BOOSTER SPLITER MOUNTING BRACKET	124.27
COO-SPRM	SPRM	SP40S REMOTE BLK MICROPHONE,RED PLATE	568.64
COO-SPRMGP	SPRMGP	SPB-80/4,SPB-160,SPB-320 GEN PAGING BLK MIC,BLK PLT	568.64
COO-SPSVC	SPSVC	SAFEPATH SUPERVISED VOLUME CONTROL	252.12
COO-SPX40S	SPX40S	SAFEPATH SP40S REPLACEMENT MOTHER BOARD	1706.91
COO-SQADC	SQADC	INDUSTRIAL AUDIBLE SIGNAL,4 TONES,9-30VDC,WHT	71.17
COO-SSB4	SSB4	4" SPEAKER & SPEAKER STROBE SUPPORT BRACKET TILE	21.60
COO-SSB4	SSB4	TILE BRIDGE,4" SPEAKER SUPPORT	21.60
COO-SSB8	SSB8	TILE BRIDGE,8" SPEAKER SUPPORT	17.99
COO-STB4	STB4	4" SPKR,SURFACE,25/70/100V TRANS,4W MULTI-TAP,WHT	72.24
COO-STC8	STC8	8" SPKR,RND GRILL,CEIL,25/70V TR,4W MULTI-TAP,WHT	43.56
COO-STC8M	STC8M	8" SPKR,RND MTL,CEIL,25/70V TR,4W MULTI-TAP,WHT	43.56
COO-STC8MV	STC8MV	8" SPKR,RND MTL,CEIL,25/70v,4W M-TAP,VOL CTRL,WHT	60.98
COO-STC8V	STC8V	8" SPKR,RND,CEIL,25/70v,4W MULTI-TAP,VOL CTRL,WHT	60.98
COO-STH15B	STH15B	HORN/SPKR,ADJ MOUNTING,WTHPRF,25/70/100V,15W,BEIGE	157.92
COO-STH15S	STH15S	SUPERVISED HORN,ADJUSTABLE MOUNTING,15W,25/70V,GRY	201.70
COO-STH15SR	STH15SR	SUPERVISED HORN,ADJUSTABLE MOUNTING,15W,25/70V,RD	209.47
COO-STH2G	STH2G	SPKR CLUSTER,2 STH-15-SR,STEEL ENCLOSURE,GRAY	970.06
COO-STH2MSR	STH2MSR	SPKR/STRB CLUSTER,2 STH-15-SR,1 DC-MAX-C,STEEL,RD	1230.22
COO-STH2R	STH2R	SPKR CLUSTER,2 STH-15-SR,STEEL ENCLOSURE,RD	970.06
COO-STH2R24MCCHFR	STH2R24MCCHFR	SPKR/STRB CLUST,2 STH-15-SR,RSS-24MCCH,FIRE,RD	1395.28
COO-STH2R24MCCHNR	STH2R24MCCHNR	SPKR/STRB CLUST,2 STH-15-SR,RSS-24MCCH,NO LTR,RD	1395.28

COO-STH30	STH30	HORN/SPKR,ADJ MOUNTING,WTHPRF,25/70/100V,30W BEIGE	182.31
COO-STH3MSR	STH3MSR	SPKR/STRB CLUSTER,3 STH-15-SR,1 DC-MAX-C,STEEL,RD	1509.27
COO-STH3R	STH3R	SPKR CLUSTER,3 STH-15-SR,STEEL ENCLOSURE,RD	1300.83
COO-STH3R24MCCHFR	STH3R24MCCHFR	SPKR/STRB CLUST,3 STH-15-SR,RSS-24MCCH,FIRE,RD	1581.14
COO-STH3R24MCCHFW	STH3R24MCCHFW	SPKR/STRB CLUST,3 STH-15-SR,RSS-24MCCH,FIRE,WHT	1581.14
COO-STH3R24MCCHNR	STH3R24MCCHNR	SPKR/STRB CLUST,3STH-15-SR,RSS-24MCCH,NO LTR,RD	1581.14
COO-STH3R24MCCHNW	STH3R24MCCHNW	SPKR/STRB CLUST,3 STH-15-SR,RSS-24MCCH,NO LTR,WHT	1581.14
COO-STH4M30WC	STH4M30WC	SPKR CLUSTER,WTHPRF,4 30W STH-30,1 DC-MAX-C,WHT	3428.11
COO-STH4MSR	STH4MSR	SPKR/STRB CLUSTER,4 STH-15-SR,1 DC-MAX-C,STEEL,RD	1814.72
COO-STH4R	STH4R	SPKR CLUSTER,4 STH-15-SR,STEEL ENCLOSURE,RD	1563.17
COO-STH4R24MCCH110ANR	STH4R24MCCH110ANR	SPKR/STRB,4 STH-15-SR,RSS-24MCCH&2 RSS AMB,NO L,RD	2192.03
COO-STH4R24MCCH110BNR	STH4R24MCCH110BNR	SPKR/STRB,4 STH-15-SR,RSS-24MCCH&2 RSS BLU,NO L,RD	2192.03
COO-STH4R24MCCH110GNR	STH4R24MCCH110GNR	SPKR/STRB,4 STH-15-SR,RSS-24MCCH&2 RSS GRN,NO L,RD	2192.03
COO-STH4R24MCCH110RNR	STH4R24MCCH110RNR	SPKR/STRB,4 STH-15-SR,RSS-24MCCH&2 RSS RED,NO L,RD	2192.03
COO-STH4R24MCCHFR	STH4R24MCCHFR	SPKR/STRB CLUST,4 STH-15-SR,RSS-24MCCH,FIRE,RD	1778.78
COO-STH4R24MCCHFW	STH4R24MCCHFW	SPKR/STRB CLUST,4 STH-15-SR,RSS-24MCCH,FIRE,WHT	1778.78
COO-STH4R24MCCHNR	STH4R24MCCHNR	SPKR/STRB CLUST,4 STH-15-SR,RSS-24MCCH,NO LTR,RD	1778.78
COO-STH4R24MCCHNW	STH4R24MCCHNW	SPKR/STRB CLUST,4 STH-15-SR,RSS-24MCCH,NO LTR,WHT	1778.78
COO-STH90R24MCCHFR	STH90R24MCCHFR	SPKR/STRB CL,CNR,2 STH-15-SR,RSS-24MCCH,FIRE,RD	1395.28
COO-STH90R24MCCHNR	STH90R24MCCHNR	SPKR/STRB CL,CNR,2 STH-15-SR,RSS-24MCCH,NO LTR,RD	1395.28
COO-STHRSSPKIT	STHRSSPKIT	STH HRN,STRB,MNT PLT/BASE,25/70V,15/30/75/110CD,RD	357.20
COO-SYMDC	SYMDC	INDUSTRIAL AUDIBLE SIGNAL,32 TONES,9-28VDC,WHT	226.90
COO-TB59 1	TB59 1	TELBELL,INDOOR/OUTDOOR,38-60VDC, 100dB	174.20
COO-TB592	TB592	TELBELL,INDOOR/OUTDOOR, 18-30VAC/VDC, 100dB	174.20
COO-TB593	TB593	TELBELL,INDOOR/OUTDOOR,55-130 VRMS,20-30 HZ,95dB	174.20
COO-TZCUSB	TZCUSB	SP4-TZC PROGRAMMING CABLE	65.33
COO-UTA1	UTA1	UNIV. TEL. ALERT,24/48VDC,24VAC,90VRMS,20Hz	226.32
COO-UTAWHVPS	UTAWHVPS	UNIV.TEL. ALERT W/STRB,24/48VDC,24VAC(110VAC REQD)	365.48
COO-VC10	VC10	VOLUME CONTROL,35W,25V/70V,DOUBLE GANG PLATE	56.62
COO-VC35	VC35	VOLUME CONTROL,10W,25V/70V,SINGLE GANG PLATE	60.98
COO-WBBR	WBBR	BACKBOX,OUTDOOR,RD	24.74
COO-WBBS	WBBS	BACKBOX,OUTDOOR,SILVER	24.74
COO-WBBW	WBBW	BACKBOX,OUTDOOR,WHT	24.74
COO-WFPAW	WFPAW	MOUNTING PLATE,FLUSH,OUTDOOR,ASWP ONLY,RD	31.26
COO-WFPAW	WFPAW	MOUNTING PLATE,FLUSH,OUTDOOR,ASWP ONLY,WHT	31.26
COO-WFPR	WFPR	MOUNTING PLATE.FLUSH,OUTDOOR,RD	31.26
COO-WFPW	WFPW	MOUNTING PLATE.FLUSH,OUTDOOR,WHT	31.26
COO-WH 3T1 1 5NS	WH 3T1 1 5NS	STRB,WALL/CEIL,OUTDOOR W/WBB, 115 VAC,BEIGE	93.48
COO-WH1T115NS	WH1T115NS	STRB,WALL/CEIL,115 VAC,SINGLE GANG,BEIGE	87.11
COO-WPBBR	WPBBR	BACKBOX FOR SERIES ASWP,WTHPRF,RD	26.99
COO-WPKIT	WPKIT	GASKET KIT FOR REAR WIRING TO OUTDOOR BACKBOXES	11.02

COO-WPSBBR	WPSBBR	BACKBOX FOR SERIES RSSWP,WTHPRF,RD	26.99
COO-WRAT1W	WRAT1W	TEL. ALERT,WARBLE,50-130 VRMS,20-30 HZ,90dB	107.41
COO-XB11DB3UL110VREDRED	XB11DB3UL110VREDRED	MULTITONE STRB,RED LENS,110VAC,CL 1 DIV 2,RD	3972.68
COO-XB11DB3UL24VDCCLEARRED	XB11DB3UL24VDCCLEARRED	MULTITONE STRB,CLEAR LENS,24VDC,CL 1 DIV 2,RD	3972.68
COO-XB11DB3UL24VDCREDRED	XB11DB3UL24VDCREDRED	MULTITONE STRB,RED LENS,24VDC,CL 1 DIV 2,RD	3946.35
COO-XB11DB425ULX(70)cleared	XB11DB425ULX(70)cleared	SPKR STRB,CLR LENS,70 VRMS,25W TRANS,CL 1 DIV 2,RD	3464.07
COO-XB11DB425ULX(70)redred	XB11DB425ULX(70)redred	SPKR STRB,RED LENS,70 VRMS,25W TRANS,CL 1 DIV 2,RD	3464.07
COO-XB11UL02406CNBNNNR	XB11UL02406CNBNNNR	STRB,CLEAR LENS,24VDC,29CD,CLASS 1 DIV 2,RD	1360.42
COO-XB11UL02406RNBNNNN	XB11UL02406RNBNNNN	STRB,RED LENS,24VDC,29CD,CLASS 1 DIV 2,BLK	1274.06
COO-XB11UL02406RNBNNNR	XB11UL02406RNBNNNR	STRB,RED LENS,24VDC,29CD,CLASS 1 DIV 2,RD	1360.42
COO-XB11UL11006ANBNNNR	XB11UL11006ANBNNNR	STRB,AMBER LENS,110VAC,29CD,CLASS 1 DIV 2,RD	1319.61
COO-XB11UL11006RNBNNNR	XB11UL11006RNBNNNR	STRB,RED LENS,110VAC,29CD,CLASS 1 DIV 2,RD	1319.61
COO-XB12UL02406CNBNNNR	XB12UL02406CNBNNNR	STRB,CLEAR LENS,24VDC,255CD,CLASS 1 DIV 2,RD	1802.47
COO-XB12UL02406RNBNNNN	XB12UL02406RNBNNNN	STRB,RED LENS,24VDC,255CD,CLASS 1 DIV 2,BLK	1718.94
COO-XB12UL02406RNBNNNR	XB12UL02406RNBNNNR	STRB,RED LENS,24VDC,255CD,CLASS 1 DIV 2,RD	1802.47
COO-XB12UL11006ANBNNNR	XB12UL11006ANBNNNR	STRB,AMBER LENS,110VAC,355CD,CLASS 1 DIV 2,RD	1748.37
COO-XB12UL11006RNBNNNR	XB12UL11006RNBNNNR	STRB,RED LENS,110VAC,355CD,CLASS 1 DIV 2,RD	1748.37
COO-XB15UL02406CWBNR	XB15UL02406CWBNR	STRB,CLEAR LENS,24VDC,330CD,CLASS 1 DIV 2,RD	1453.66
COO-XB15UL02406RWBNN	XB15UL02406RWBNN	STRB,RED LENS,24VDC,330CD,CLASS 1 DIV 2,BLK	1370.08
COO-XB15UL02406RWPNN	XB15UL02406RWPNN	STRB,RED LENS,PIPE MT,24VDC,330CD,CL 1 DIV 2,BLK	1370.08
COO-XB15UL12006AWBNN	XB15UL12006AWBNN	STRB,AMBER LENS,BK MT,120VAC,330CD,CL 1 DIV 2,BLK	1370.08
COO-XB15UL12006AWPNN	XB15UL12006AWPNN	STRB,AMBER LNS,PIPE MT,120VAC,330CD,CL 1 DIV 2,BLK	1370.08
COO-XB15UL12006RWBNN	XB15UL12006RWBNN	STRB,RED LENS,BK MT,120VAC,330CD,CL 1 DIV2,BLK	1370.08
COO-XB15UL12006RWPNN	XB15UL12006RWPNN	STRB,RED LENS,PIPE MT,120VAC,330CD,CL 1 DIV 2,BLK	1370.08
COO-XB16UL02460RYNN	XB16UL02460RYNN	STRB,RED LENS,24VDC,285CD,CL 1 DIV 2,BLK	963.25
COO-XB16UL12060AYNN	XB16UL12060AYNN	STRB,AMBER LNS,UL 1971,120VAC,285CD,CL 1 DIV 2,BLK	963.25
COO-XB16UL12060RYNN	XB16UL12060RYNN	STRB,RED LENS,UL1971,120VAC,285CD,CL 1 DIV 2,BLK	963.25
COO-XB16US02460CYNR	XB16US02460CYNR	STRB,CLEAR LENS,UL1971,24VDC,285CD,CL 1 DIV 2,RD	1048.86
COO-XB4ULB8D2E3E06ANCN1R	XB4ULB8D2E3E06ANCN1R	STRB,CLEAR LENS,24VDC,355CD,CL 1 DIV 1,RD	2928.94
COO-XB4ULB8D2E3E06ANRN1R	XB4ULB8D2E3E06ANRN1R	STRB,RED LENS,24VDC,355CD,CL 1 DIV 1,RD	2928.94
COO-XRTT40**	XRTT40**	ELECTROMECHANICAL RELAY,39-150VRMS,20-30HZ,EXPL.PRF	632.69
COO-ZBASE	ZBASE	BASE,UNIVERSAL,SNAP SERIES Z	11.26
COO-ZBBR	ZBBR	BACKBOX,SURFACE,SNAP SERIES Z,RD	19.11
COO-ZBBW	ZBBW	BACKBOX,SURFACE,SNAP SERIES Z,WHT	19.11
COO-ZNHR	ZNHR	SNAP SERIES Z HN,SQ,FLUSH,WALL/CEIL,12/24 VDC,RD	54.46
COO-ZNHW	ZNHW	SNAP SERIES Z HN,SQ,FLUSH,WALL/CEIL,12/24 VDC,WHT	54.46
COO-ZNSMCCFR	ZNSMCCFR	SNAP SERIES Z HN,SQ,CEIL,24 VDC,15/30/75/95CD,RD	115.97
COO-ZNSMCCFW	ZNSMCCFW	SNAP SERIES Z HN,SQ,CEIL,24 VDC,15/30/75/95CD,WHT	115.97
COO-ZNSMCCHFR	ZNSMCCHFR	SNAP SERIES Z HN,SQ,CEIL,H INT,24 VDC,115/177CD,RD	131.73
COO-ZNSMCCHFW	ZNSMCCHFW	SNAP SERIES Z HN,SQ,CEIL,H INT,24 VDC,115/177CD,WHT	131.73
COO-ZNSMCWFR	ZNSMCWFR	SNAP SERIES Z HN,SQ,WALL,24 VDC,15/30/75/110CD,RD	115.97

COO-ZNSMCWFW	ZNSMCWFW	SNAP SERIES Z HN,SQ,WALL,24 VDC,15/30/75/110CD,WHT	115.97
COO-ZNSMCWHFR	ZNSMCWHFR	SNAP SERIES Z HN,SQ,WALL,H INT,24 VDC,135/185CD,RD	131.73
COO-ZNSMCWHFW	ZNSMCWHFW	SNAP SERIES Z HN,SQ,WALL,H INT,24 VDC,135/185CD,WHT	131.73
COO-ZRSMCCFR	ZRSMCCFR	SNAP SERIES Z,STRB,CEIL,24 VDC,15/30/75/95CD,RD	90.07
COO-ZRSMCCFW	ZRSMCCFW	SNAP SERIES Z,STRB,CEIL,24 VDC, 1 5/30/75/95CD,WHT	90.07
COO-ZRSMCCHFR	ZRSMCCHFR	SNAP SERIES Z,STRB,CEIL,H INT,24VDC,115/177CD,RD	106.22
COO-ZRSMCCHFW	ZRSMCCHFW	SNAP SERIES Z,STRB,CEIL,H INT,24VDC,115/177CD,WHT	106.22
COO-ZRSMCWFR	ZRSMCWFR	SNAP SERIES Z,STRB,WALL,24 VDC,15/30/75/110CD,RD	90.07
COO-ZRSMCWFW	ZRSMCWFW	SNAP SERIES Z,STRB,WALL,24 VDC,15/30/75/110CD,WHT	90.07
COO-ZRSMCWHFR	ZRSMCWHFR	SNAP SERIES Z,STRB,WALL,H INT,24 VDC,135/185CD,RD	106.22
COO-ZRSMCWHFW	ZRSMCWHFW	SNAP SERIES Z,STRB,WALL,H INT,24 VDC,135/185CD,WHT	106.22