



www.okiusa.com

Cabling Systems and Solutions Price List

10/1/2008


Picture	Model Number	Description	MSRP
B Audio Balun			
Passive Audio Balun			
Transmit audio signal from with out signal boosting up to 1000Ft on a single CAT5E cable.			
15		AB100T Audio Passive Balun Twisted Pair Transceiver / RCA Female to 2 pin screw on type terminals / 1000ft	22.00
C Home Theatre			
Home Theatre			
UTP Baluns and Amplifiers for use with Home Theatre Applications			
16		HAV111J-WP Wall Plate Video, Audio, Power CAT5 Extender 2pcs/1set	88.00
17		HCV110J-WP Wall Plate Component Video & Digital Audio CAT5 Extender 2pcs/1set	94.00
18		HHB200K HDMI CAT5 Extender (2-in 2-out)	440.00
19		HHD124 1-input 4-output HDMI Distribution Amplifier	280.00
D UTP Transceiver			
Coaxial Cable to UTP/IP Camera Converter			
20		VB100IPK Send IP camera signal over existing coaxial cable, Passive, no power required,8 Exceeds 802.3 10BaseT NEXT specification, isolating the receiver from the transmitted signal, 8 Transmission up to 200 meters (Max)	145.00
E CCTV Signal Filter			
Video Filter			
21		VF100BNC-G Coaxial Video Ground Loop Isolator, Built in TVS (Transient Voltage Suppressors) for Surge Protection. Eliminates picture tearing, cross talk and rolling. Prevents Video signal distortion caused by video ground loops, power cables laid by others interfering with CCTV system.	48.00
22		VF100BNC Video Balun Filter built in a highly balanced mode of video transmission, immune to interference and noise from other sources such as Data signals, other video signals, near by power, ringing telephones, fluorescent lights, transformer...etc. Perfect work with DVR to immunity DVR interference.	45.00



www.okiusa.com

Cabling Systems and Solutions Price List

10/1/2008

Picture	Model Number	Description	MSRP	
F CCTV Balun		Active Video Balun		
 Transmit video signal with active signal boosting using a single CAT5E cable up to 5000Ft.				
23	 VBAU100T	Active Video Balun - Active Transmitter with extra interference rejection (use w/VBAU100R distance can go up to 5000ft). 12V DC Power transformer included. (Replace VBA100T)	60.00	
24	 VBAU100R	Active Video Balun - Active Receiver with extra interference rejection (use w/VBAU100T distance can go up to 5000ft). 2 BNC Out, 12V DC Power transformer included. (Replace VBA100R)	60.00	
25	 VBAU400R	4-CH Active Video Balun - Active Receiver with extra interference rejection (use w/VBAU100T distance can go up to 5000ft). 8 BNC Out, 12V DC Power transformer included. (Replace VBA400T)	200.00	
26	 VBAU800R-1U	8-CH Active Video Balun - Active Receiver with extra interference rejection (use w/VBAU100T distance can go up to 5000ft). 16 BNC Out, 1U Rack mountable, 12V DC Power transformer included. (Replace VBA800R-1U)	400.00	
27	 Front Rear VBA800R-1U	8-CH Active Video Balun 1U Panel Rackmountable (use w/VB100T or VB100S up to 3000ft; w/VBA100T up to 5000ft), 12V DC power transformer included. (discontinue on July)	650.00	
28	 Front Rear VBA1600R-1U	16-CH Active Video Balun 1U Panel Rackmountable (use w/VBU100T Distance can go up to 5000ft), 12V DC power transformer included.	1,300.00	
G CCTV Transceiver		One Coaxial Cable to Transmit		
29		VMS2200K	Over One coax transmission system for 1x Video + 1x Audio + 1x DC power. Kit includes transmitter and receiver/BNC input & output.	240.00
30		VMS2501K	Over One coax transmission system for 2 x Video + 2 x Alarm I/O + 2 x DC/AC Power. Kit includes transmitter and receiver. AC to DC converter & power code included.	700.00
31		VMS2731K	Over One coax transmission system for 1x Video + 1 x RS485 + 1 x DC/AC power. Kit includes transmitter and receiver. AC to DC converter & power code included.	700.00

Picture	Model Number	Description	MSRP
H CCTV BNC Distributor		Video Distributor	
Distribute video signal from a single source to many with signal amplification.			
32	 VD122BNC	1 input 2 output Video Distributor / Dual power input 12V DC/24V AC / 12DC Power Transformer included.	50.00
33	 VD124BNC	1 input 4 output Video Distributor / 12V DC Power Transformer included.	85.00
34	 VD128BNC	1 input 8 output Video Distributor / 12V DC Power Transformer included.	125.00
35	 VD428BNC	4 input to 8 output Video Distributor / 12V DC Power Transformer included.	190.00
36	 Front Rear VD8216BNC-1U	8 input to 16 output Video Distributor, 1U Panel Rackmountable / 12V DC Power Transformer included.	360.00
37	 VD16264BNC-2U	16 input 64 output Video Distributor, 2U Panel Rackmountable / 12V DC Power Transformer included.	1,200.00
I PC Balun		VGA Distributor	
Distribute VGA signal from a single source to many with a single CAT5E cable up to 1200Ft at high resolution.			
38	 TX RX VGD122K	VGA Distributor, 1 in 2 out Transmitter and Receiver Kit (VGR110 & 5VDC Power Transformer included) 1 VGA output for local, plus 1 RJ45 Jact output. Long range transmission up to 1200ft. Support up to 1600x1200@85Hz, Build in contrast, brightness adjustment at receiver (VGR110).	420.00/Kit
39	 TX: Front TX: Rear RX VGD125K	VGA Distributor, 1 in 5 out Transmitter and Receiver Kit (1xVGR110 & 5VDC Power Transformer included) 1 VGA output for local, plus 1 RJ45 Jact output. Long range transmission up to 1200ft. Support up to 1600x1200@85Hz, Build in contrast, brightness adjustment at receiver (VGR110).	500.00/Kit
40	 VGR110	VGA Receiver with contrast, brightness adjustment. (5VDC power transformer included) use with (VGD125K option)	270.00
41	 VADU01T	VGA Balun 1 in 2 out Transmitter/Hosting Site work with VADU122R Receiver Transmit VGA & Audio Singal up to 1000ft at 1024*768 VGA & Audio input/ One VGA & RJ45 output USB power.	218.00
42	 VADU04T	VGA Balun 1 in 4 out Transmitter/Hosting Site work with VADU122R Receiver Transmit VGA & Audio Singal up to 1000ft at 1024*768 VGA & Audio input/ One VGA & RJ45 output USB power	820.00
43	 VADU122R	Cat5 VGA Long Range Receiver/Remote Site work with VADU01T & VADU04T Transmitter Series 1x RJ45 input / 2xVGA & Audio Output . 12VDC Power	245.00



www.okiusa.com

Cabling Systems and Solutions Price List

10/1/2008







Picture	Model Number	Description	MSRP
J PC Balun			
VGA Extender			
 Extend VGA signal using a single CAT5E cable up to 300Ft at 1280 x 1024 high resolution.			
44  Left Right	VB100VK	VGA Extender over Cat5. Support up to 300ft, 1280 x 1024 pixels, VGA Female to RJ45, Passive / No power needed	190/Kit
45 	VBU100VK	VGA Extender over Cat5. Support up to 300ft, 1280 x 1024 pixels, VGA Female to RJ45, Passive / No power needed	190/Kit
J PC Balun			
PS2 Extender			
Extend PS2 mouse and keyboard signal using a single CAT5E cable up to 300Ft.			
46 	PS2100C	Keyboard Mouse Extender Balun up to 300ft. Passive / No power needed. 2pcs / kit	64.00/Kit
K PC Balun			
VGA Monitor, Keyboard, and Mouse CAT5 Extender			
 Extend VGA, Keyboard & Mouse by using 2 of CAT5E cable up to 1000Ft.			
47  Left Right	VGPS2100C	VGA Monitor, Mouse & Keyboard Long Range Cat5 Extender - with PS2 Interface up to 300Ft. 2pcs / Kit (Will be discountinue on Oct)	220.00/Kit
48  Left Right	VGUSB100C	VGA Monitor, Mouse & Keyboard Long Range Cat5 Extender - with USB Interface/ 2pcs / Kit up to 300Ft.	220.00/Kit
49 	VKMPU300	VGA/PS2 Cat5 Extender support up to 1600*1200 2 Cat5e Cable require. up to 300Ft (Replace VGPS2100C)	175.00/Kit
50 	VKMPU1000	VGA/PS2 Cat5 Extender support up to 1600*1200 1Cat5e Cable require. up to 1000Ft	540.00/Kit
51 	VAKMPU1000	VGA/PS2/Audio Cat5 Extender support up to 1600x1200 2 Cat5e Cable require. up to 1000Ft	620.00/Kit
L PC Balun			
VGA Converter			
Convert analog video to digital video signal.			
52  Front Rear	VC100V	VGA Converter, Video (BNC) to VGA Converter (Analog to Digital) Support NTSC, PAL and Secam Video System. Build in OSD (On Screen Display) Support NTSC: 640x480 PAL: 768x576	145.00
53  Front Rear	VC100VHD	Hi Resolution Video (RCA) to VGA Converter (Analog to Digital) Support NTSC, PAL Video System. Multi Signal Input: VGA, Composite Video, S-Video, Output Mode: 800x600, 1024x768, 1280x1024@60Hz. On screen display: Contrast, brightness, color, tint, features, resolution/ Use for DVR out put only	220.00



www.okiusa.com

Cabling Systems and Solutions Price List

10/1/2008

Picture	Model Number	Description	MSRP
M RS485 Covert			
RS485 Converter			
Convert USB to RS485 signal from PTZ camera communication with digital video recorder.			
54	 USB100C	USB 2.0 Connector RS232 to RS485 Converter, Two wire, differential signals, half duplex, no power required, Auto switching baud rate, speed up to 115,200 baud over 3000ft.	120.00
55	 RS100C	RS232 to RS485 Converter, DB9 Female connector for RS232 to 2 wires terminal block for RS485, no power required.	32.00
56	 RS200C	RS232 to RS485 or RS422 Converter, RS232 input: DB9 or RJ11 Female. RS485/422 output: 2 wires terminal or RJ11, LEDES status monitoring for power and signal status. Surge protection 16KV ESD. Build in termination resistors, DC power transformer included.	115.00
N Power			
Power Converter			
Convert 24V AC power source to 12V DC output for DC voltage cameras.			
57	 PC500	AC14-AC24 to DC12V, Power Converter 500mA (Regulated) For DC type camera or video power sources convert using AC24V power transformer	18.00
58	 PC1000	AC14-AC24 to DC12V, Power Converter 1000mA (Regulated) For DC type camera or video power sources convert using AC24V power transformer	33.00
O Power			
Rackmount Power Supply - 1U			
POWER Rackmountable 1U size centralize 16 port camera power supply.			
59	 P12DC16P-1U	16 Port DC12V Power Supply 8Amp in 1U Panel Rackmountable	420.00
60	 P24AC16P-1U	16 Port AC24V Power Supply 8Amp in 1U Panel Rackmountable	390.00