



March 10, 2008

MODEL #	MANUFACTURER #	DESCRIPTION	MSRP
PC-BB100	BB100	OPERATIONAL BATTERY BACKUP	226.26
PC-BB200	BB200	OPERATIONAL BATTERY BACKUP W/PWR MNG BRD	290.91
PC-BP973	BP973	PIEZOELECTRIC KEYPAD (SLIM)/ MULLION BOX(2X6), PCSC KEYPAD FORMAT, WIEGAND, 2 LED, OUTDOOR/INDOOR.CASW2626S121N	482.68
PC-BP974	BP974	PIEZOELECTRIC KEYPAD (STANDARD)/ U.S. GANG BOX (3X4), PCSC KEYPAD FORMAT, WIEGAND, 2 LED, OUTDOOR/INDOOR.CASW2634S121N	482.68
PC-CBLCOMP(1000 FT)	CBLCOMP(1000 FT)	ACCESS CONTROL COMPOSITE CABLE (READER, LOCK, SWITCH, & EXIT DEVICES)1,000	2245.93
PC-CBLCOMP(500 FT)	CBLCOMP(500 FT)	FT ACCESS CONTROL COMPOSITE CABLE (READER, LOCK, SWITCH, & EXIT DEVICES)500	1161.47
PC-EM600	EM600	FT MEMORY EXPANSION 3328 USERS FOR R, RW	402.25
PC-EM602	EM602	MEMORY EXPANSION 9728 USERS FOR R, RW	774.31
PC-EM604	EM604	MEMORY EXPANSION 27904 USERS FOR R, RW	1084.03
PC-EM801	EM801	MEMORY EXPANSION 9728 USERS FOR HK2/HKCR	482.68
PC-EM803	EM803	MEMORY EXPANSION 32512 USERS FOR HK2/HKCR	1084.03
PC-EN200	EN200	ETHERNET/LAN COMMUNICATION MODULE	1238.89
PC-EOLRPKG	EOLRPKG	END-OF-LINE RESISTOR PACKAGE (PCSC-EOL 180 X 300 OHM FORMAT)(MINIMUM OF 25 MUST BE ORDERED)NOTE: FOR SUPERVISED INPUTS ON PCSC CONTROLLERS. CAN BE USED WITH IQ, SIM, ULT, 4/8 READER, SAM, & NRX	8.44
PC-FA C EX	FA C EX	EXTERNAL OEM CARD READER INTERFACE WITH FACIAL VERIFICATION UNIT, KEYPAD AND LCD DISPLAY	4371.24
PC-FACE801	FACE801	125KHZ PROXIMITY CARD READER AND FACIAL VERIFICATION UNIT, KEYPAD AND LCD DISPLAY	4385.62
PC-FGR06RF1000	FGR06RF1000	125 KHZ PROXIMITY CARD READER AND FINGERPRINT VERIFICATION UNIT, 1,000 USERS	1856.64
PC-FGR06RF2000	FGR06RF2000	125 KHZ PROXIMITY CARD READER AND FINGERPRINT VERIFICATION UNIT, 2,000 USERS	2201.03
PC-FGR06RF4000	FGR06RF4000	125 KHZ PROXIMITY CARD READER AND FINGERPRINT VERIFICATION UNIT, 4,000 USERS	2455.56
PC-FGR06SR1000	FGR06SR1000	MIFARE SMART CARD READER AND FINGERPRINT VERIFICATION UNIT, 1,000 USERS	2126.15
PC-FGR06SR2000	FGR06SR2000	MIFARE SMART CARD READER AND FINGERPRINT VERIFICATION UNIT, 2,000 USERS	2455.56
PC-FGR06SR4000	FGR06SR4000	MIFARE SMART CARD READER AND FINGERPRINT VERIFICATION UNIT, 4,000 USERS	2665.18
PC-FGR06X1000	FGR06X1000	EXTERNAL OEM CARD READER INTERFACE W/FINGERPRINT VERIFICATION UNIT, 1,000 USERS	1856.64
PC-FGR06X2000	FGR06X2000	EXTERNAL OEM CARD READER INTERFACE W/FINGERPRINT VERIFICATION UNIT, 2,000 USERS	2201.03
PC-FGR06X4000	FGR06X4000	EXTERNAL OEM CARD READER INTERFACE W/FINGERPRINT VERIFICATION UNIT, 4,000 USERS	2455.56
PC-HK2	HK2	HANDKEY I 512 USERS 26 OR 40 BIT FOR STANDALONE	3534.14
PC-HK2MAN	HK2MAN	HK2 MANUAL	120.83
PC-HKCR	HKCR	HANDKEY I 512 USERS 26 OR 40 BIT FOR IQ/SIM/ULT	3239.63
PC-HKMAN	HKMAN	ID3DR MANUAL	120.83

PC-HN300	HN300	HAND-NET FOR WINDOWS SOFTWARE FULL VERSION (110V)	1781.79
PC-HN300220	HN300220	HAND-NET FOR WINDOWS SOFTWARE FULL VERSION (220V)	1781.79
PC-HN75	HN75	BACKHAND TEMPLATE BACKUP SOFTWARE (110V)	402.25
PC-HN75220	HN75220	BACKHAND TEMPLATE BACKUP SOFTWARE (220V)	402.25
PC-IAMDEM O	IAMDEM O	LINC-EZ IAM DEMO WITH TRAVEL CASE, IAM MASTER KIT (PR-732, ONLY (10) PC-73 PROXIMITY CARDS, DISPLAY PANEL AND BASE, TRAVEL CASE	3001.07
PC-IAMPCB	IAMPCB	IAM CONTROLLER BOARD (ONLY)	960.14
PC-IAMSYS	IAMSYS	IAM INTEGRATED ACCESS/ALARM SYSTEM LINC-EZ SOFTWARE CD IAM CONTROLLER METAL ENCLOSURE WITH TAMPER 3 AMP 12VDC POWER SUPPLY WITH CHARGER 1 OPTEX KEYPAD WITH LCD DISPLAY 1 PROXIMITY READER (PR732) 25 PROXIMITY CARDS (PC73) 1 IAM TO PC CABLE	2380.70
PC-ID3DR	ID3DR	HANDKEY 256 USERS STANDALONE	4313.73
PC-ID3DRW	ID3DRW	OUTDOOR HANDKEY 256 USERS STANDALONE	6523.26
PC-IKY 16K16	IKY 16K16	CONTACTLESS SMARTCARD, 16K BITS WITH 16 APPLICATION AREAS	23.61
PC-IKY 16K2	IKY 16K2	CONTACTLESS SMARTCARD, 16K BITS WITH 2 APPLICATION AREAS	23.61
PC-IKY 2K2	IKY 2K2	CONTACTLESS SMARTCARD, 2K BITS WITH 2 APPLICATION AREAS	21.36
PC-IPC 16K16	IPC 16K16	CONTACTLESS SMARTCARD, 16K BITS WITH 16 APPLICATION AREAS	28.12
PC-IPC 16K2	IPC 16K2	CONTACTLESS SMARTCARD, 16K BITS WITH 2 APPLICATION AREAS	28.12
PC-IPC 2K2	IPC 2K2	CONTACTLESS SMARTCARD, 2K BITS WITH 2 APPLICATION AREAS	23.61
PC-IQXDEM O	IQXDEM O	LINC-EZ IQX DEMO WITH TRAVEL CASE, IQX MASTER KIT (PR-732, ONLY (10) PC-73 PROXIMITY CARDS), DISPLAY PANEL AND BASE, TRAVEL CASE	2952.58
PC-IR10	IR10	R10 READ ONLY CONTACTLESS SMART CARD READER, WIEGAND, MULLION	242.42
PC-IR30	IR30	R30 READ ONLY CONTACTLESS SMART CARD READER, WIEGAND, EU/ASIAN	482.68
PC-IR40	IR40	R40 READ ONLY CONTACTLESS SMART CARD READER, WIEGAND, US/EU/ASIAN	514.86
PC-IRK40	IRK40	RK40 READ ONLY CONTACTLESS SMART CARD READER, WIEGAND, US/EU/ASIAN	836.25
PC-IRWK4 0	IRWK4 0	W/KEYPAD RW400 CONTACTLESS SMART CARD READER/WRIER, WIEGAND AND/OR WIEGAND AND/OR RS232 US/EU/ASIAN BACK BOX SIZE W/KEYPAD	1099.53
PC-IS400	IS400	110VAC/13.5VDC POWER SUPPLY W/HK CONNECTOR	148.05
PC-ISC 16K16	ISC 16K16	CONTACTLESS SMARTCARD, 16K BITS WITH 16 APPLICATION AREAS	20.24
PC-ISC 16K2	ISC 16K2	CONTACTLESS SMARTCARD, 16K BITS WITH 2 APPLICATION AREAS	20.24
PC-ISC 2K2	ISC 2K2	CONTACTLESS SMARTCARD, 2K BITS WITH 2 APPLICATION AREAS	10.87
PC-ITG 16K16	ITG 16K16	CONTACTLESS SMARTCARD, 16K BITS WITH 16 APPLICATION AREAS	16.50
PC-ITG 16K2	ITG 16K2	CONTACTLESS SMARTCARD, 16K BITS WITH 2 APPLICATION AREAS	16.50
PC-ITG 2K2	ITG 2K2	CONTACTLESS SMARTCARD, 2K BITS WITH 2 APPLICATION AREAS	9.36
PC-KEY RING	KEY RING	KEY RING(OPTION)	0.74
PC-KEY RING	KEY RING	KEY-RING	0.74
PC-LAPCBL	LAPCBL	LAPLINK GOLD CABLE, 10FT-3M	92.06
PC-LEZUP	LEZUP	LINC-EZ SOFTWARE UPGRADE	434.43
PC-MAGLCK1200S	MAGLCK1200S	1200LBS MAGLOCK,12/24 VDC, W/LOCK SENSE	307.07
PC-MAGLCKD1200S	MAGLCKD1200S	1200LBS DOUBLE MAGLOCK,12/24 VDC, W/LOCK SENSE	547.04
PC-MAGLCKSHO1	MAGLCKSHO1	600LBS MAGLOCK,12/24 VDC, W/LOCK SENSE	258.59
PC-MD500	MD500	INTERNAL 14.4K BAUD DIAL-UP MODEM	619.44
PC-ML1200DS	ML1200DS	1200LBS MAGLOCK,12/24 VDC, W/DOOR SENSE	323.23
PC-ML600DS	ML600DS	600LBS MAGLOCK,12/24 VDC, W/DOOR SENSE	274.75
PC-MLBRKT0001	MLBRKT0001	ARMATURE PLATE HOUSING FOR 1200LBS	54.46
PC-MLBRKT0011	MLBRKT0011	ARMATURE PLATE HOUSING FOR 600LBS	54.46
PC-MLBRKT01001	MLBRKT01001	ADJUSTABLE BRACKET FOR 1200LBS	61.72
PC-MLBRKT01002	MLBRKT01002	L & Z BRACKET FOR 1200LBS	106.22
PC-MLBRKT01003	MLBRKT01003	ANGLE BRACKET FOR 600LBS	43.56
PC-MLBRKT01004	MLBRKT01004	FILLER 266 X 19 X 16 MM	37.48
PC-MLBRKT01005	MLBRKT01005	FILLER 266 X 19 X 12.5 MM	37.48

PC-MLBRKTB1011	MLBRKTB1011	ADJUSTABLE BRACKET FOR 600LBS	61.72
PC-MLBRKTB1012	MLBRKTB1012	L & Z BRACKET FOR 600LBS	106.22
PC-MLD1200DS	MLD1200DS	1200LBS DOUBLE MAGLOCK,12/24 VDC, W/DOOR SENSE	563.15
PC-NRXDEM O	NRXDEM O	LINC-EZ NRX DEMO WITH TRAVEL CASE, NRX MASTER KIT(PR-732, ONLY (10) PC-73 PROXIMITY CARDS), DISPLAY PANEL AND BASE, TRAVEL CASE	3001.07
PC-NRXKITEXID	NRXKITEXID	NRX ADD-ON KIT WITH ETHERNET NRX 2 DOOR CONTROLLER,METAL ENCLOSURE WITH TAMPER 3 AMP 12VDC POWER SUPPLY WITH CHARGER 2 XCEEDID PROXIMITY READERS (PR632)	1946.48
PC-NRXKITXID	NRXKITXID	NRX ADD-ON KIT NRX 2 DOOR CONTROLLER, METAL ENCLOSURE WITH TAMPER 3 AMP 12VDC POWER SUPPLY WITH CHARGER 2 XCEEDID PROXIMITY READERS (PR632)	1676.96
PC-NRXKITZXID	NRXKITZXID	NRX ADD-ON KIT WITH ZIGBEEWIRELESS PRO NRX 2 DOOR CONTROLLER,METAL ENCLOSURE WITH TAMPER 3 AMP 12VDC POWER SUPPLY WITH CHARGER 2 XCEEDID PROXIMITY READERS (PR632)	1886.59
PC-NRXP C BZ	NRXP C BZ	NRX CONTROLLER BOARD (ONLY) W/ZIGBEEWIRELESS(ANTENNA & CABLE NOT INCLUDED)	1378.28
PC-NRXPBX	NRXPBX	NRX ADD-ON KIT-NO READERS NRX 2 DOOR CONTROLLER,METAL ENCLOSURE WITH TAMPER 3 AMP 12VDC POWER SUPPLY WITH CHARGER	1465.53
PC-NRXPBXE	NRXPBXE	NRX ADD-ON KIT-NO READERS WITH ETHERNET NRX 2 DOOR CONTROLLER,METAL ENCLOSURE WITH TAMPER 3 AMP 12VDC POWER SUPPLY WITH CHARGER	1736.86
PC-NRXPBXZ	NRXPBXZ	NRX ADD-ON KIT-NO READERS WITH ZIGBEEWIRELESS PRO NRX 2 DOOR CONTROLLER,METAL ENCLOSURE WITH TAMPER 3 AMP 12VDC POWER SUPPLY WITH CHARGER	1676.96
PC-NRXPCB	NRXPCB	NRX CONTROLLER BOARD (ONLY)	1130.50
PC-NRXPCBE	NRXPCBE	NRX CONTROLLER BOARD W/ ETHERNET (ONLY)	1405.09
PC-NRXSYSEXID	NRXSYSEXID	LINC-EZ SOFTWARE NRX 2 DOOR CONTROLLER(6 INPUTS/6 OUTPUTS, BATTERY BACKED UP MEMORY) ETHERNET METAL ENCLOSURE WITH TAMPER 3 AMP 12VDC POWER SUPPLY WITH CHARGER 2 XCEEDID PROXIMITY READERS (PR632) 50 AWID PROXIMITY CARDS (PC 73)	2096.21
PC-NRXSYSXID	NRXSYSXID	LINC-EZ SOFTWARE NRX 2 DOOR CONTROLLER(6 INPUTS/6 OUTPUTS, BATTERY BACKED UP MEMORY) RS485 CONVERTER METAL ENCLOSURE WITH TAMPER 3 AMP 12VDC POWER SUPPLY WITH CHARGER 2 XCEEDID PROXIMITY READERS (PR632) 50 AWID PROXIMITY CARDS (PC 73)	2096.21
PC-NRXSYSZXID	NRXSYSZXID	LINC-EZ SOFTWARE NRX 2 DOOR CONTROLLER(6 INPUTS/6 OUTPUTS, BATTERY BACKED UP MEMORY) ZIGBEE WIRELESS PRO METAL ENCLOSURE WITH TAMPER 3 AMP 12VDC POWER SUPPLY WITH CHARGER 2 XCEEDID PROXIMITY READERS (PR632) 50 AWID PROXIMITY CARDS (PC 73)	2680.16
PC-OPTXKD	OPTXKD	OPTEX KEYPAD DISPLAY	424.76
PC-P C DP	P C DP	DIRECT PRINT LAMINATE W/STICKY BACK. (SPECIFY WITH OR W/O SLOT PUNCH). USE WITH CARD PRINTER	4.86
PC-P CC P	P CC P	PHOTO-FLAP FOR CAMERA PHOTO INSERT (USE WITH WET-FILM / POLAROID-TYPE) FOR PC-23/24	4.12
PC-PBLMM	PBLMM	PUSH BUTTON LIGHTED (MULLION MOUNT PLATE, RED LIGHTED BUTTON)	88.53
PC-PBLSG	PBLSG	PUSH BUTTON LIGHTED (SINGLE-GANG PLATE, RED LIGHTED BUTTON)	88.53
PC-PC20	PC20	MICRO PROX TAG	9.01
PC-PC23	PC23	PROXCARD I, NO LOGO	6.37
PC-PC23PL	PC23PL	PROXCARD I, PCSC LOGO	6.37
PC-PC24DP	PC24DP	DUOPROX I PROXIMITY CARD, DIRECT PRINT	14.43
PC-PC26	PC26	PROXKEY, NO LOGO	15.17
PC-PC27	PC27	ISO PROX / DIRECT PRINT CARD, NO LOGO	13.13
PC-PC29	PC29	ACTIVE VEHICLE ID TAG-1351 (USE WITH PR-235 READER)	74.37
PC-PC72	PC72	PROXIMITY BUTTON (ADHESIVE)	8.80
PC-PC73	PC73	STANDARD PROXIMITY (PL=PCSC LOGO)	5.63

PC-PC74	PC74	ISO STANDARD SIZED PROXIMITY CARD (PRINTABLE)	11.26
PC-PC76	PC76	KEY TAG (DOES NOT INCLUDE KEY RING)	9.36
PC-PC77	PC77	PROX & MAGNETIC STRIPE – ISO STANDARD SIZE (PRINTABLE)	12.56
PC-PC78	PC78	VEHICLE TAG - WINDSHIELD MOUNT (HIGH-FREQ.)CALL FOR AVAILABILITY	43.91
PC-PC79	PC79	VEHICLE TAG - METAL MOUNT (HIGH-FREQ.)	38.49
PC-PR233	PR233	MINIPROX (MULLION)	418.33
PC-PR234	PR234	PROXPRO I	440.87
PC-PR235	PR235	MAXIPROX (REQUIRES A SEPARATE 24 VDC 2 AMP LINEAR PS)	1331.81
PC-PR236	PR236	THIN-LINE I SWITCH PLATE READER	418.33
PC-PR238	PR238	PROXPOINT READER	242.42
PC-PR632	PR632	XCEEDID PROX MINI-MULLION READER (PROX ONLY)	255.35
PC-PR732	PR732	READER (4 - 5" READ RANGE)	210.10
PC-PR733	PR733	MULLION MOUNT READER (6 – 8" READ RANGE)	320.00
PC-PR735	PR735	MEDIUM RANGE READER (18 – 24" READ RANGE)	619.44
PC-PR735MC	PR735MC	METAL COMPENSATED MEDIUM RANGE READER (16 – 18" RANGE)	712.36
PC-PR736	PR736	SWITCHPLATE READER (6 – 8" READ RANGE)	320.00
PC-PR739	PR739	LONG RANGE VEHICLE READER (HIGH FREQ., 9-11' RANGE)NEED THE FOLLOWING ITEMS WHEN PURCHASING PR739:LRIN (A MUST) INSTALL KIT FOR PR739 PS12-1A 1 AMP LINEAR REGULATED POWER SUPPLY, 12VDC	3239.63
PC-PRK234	PRK234	PROXPRO WITH KEYPAD	867.22
PC-PRK736	PRK736	SWITCHPLATE READER W/INTEGRATED KEYPAD (6 – 8" READ RANGE)	514.86
PC-PROX	PROX	HID PROXPOINT READER ADD-ON (FOR 26/40BIT MODELS)	482.68
PC-PS1000	PS1000	12VDC 10AMP ALTRONIX SMP-10-C12H POWER SUPPLY	1207.92
PC-PS110	PS110	110VAC/13.5VDC POWER SUPPLY W/HK CONNECTOR	106.22
PC-PS220	PS220	220VAC/13.5VDC POWER SUPPLY W/HK CONNECTOR	106.22
PC-PS312PB	PS312PB	12VDC 3AMP POWER SUPPLY WITH ENCLOSURE	402.25
PC-PS612PB	PS612PB	12VDC 6AMP POWER SUPPLY WITH ENCLOSURE	498.79
PC-PS812PB	PS812PB	12VDC 8AMP POWER SUPPLY WITH ENCLOSURE	563.15
PC-RS485PS	RS485PS	RS485/RS232 CONVERTER	337.89
PC-SC23	SC23	HID SMARTCARD (1430-MIFARE)	15.94
PC-SC24	SC24	HID SMARTCARD-DUAL TECH. (143 1-MIFARE & PROX)	19.85
PC-SC25	SC25	HID SMARTCARD-DUAL TECH. (143 1-MIFARE & MAG)	19.11
PC-SC26	SC26	HID SMARTCARD TRIPLE TECH (143 1-MIFARE,PROX,MAG)	23.05
PC-SC6310	SC6310	XCEEDID SMART CLAMSHELL CARD 10K	9.01
PC-SC632	SC632	XCEEDID SMART CLAMSHELL CARD 2.5K	6.55
PC-SC6410	SC6410	XCEEDID SMART ISO PRINTABLE CARD 10K	10.87
PC-SC642	SC642	XCEEDID SMART ISO PRINTABLE CARD 2.5K	9.75
PC-SC6420	SC6420	XCEEDID SMART ISO PRINTABLE CARD 20K	14.61
PC-SC6610	SC6610	XCEEDID SMART KEYTAG 10K	12.56
PC-SC82	SC82	(IMK50) – KEY TAB MIFARE MINIMUM QUANTITY 100 PER ORDER	10.49
PC-SC83	SC83	(ISC80) – ISO MIFARE CARD MINIMUM QUANTITY 100 PER ORDER	10.49
PC-SC94A	SC94A	SMART CARD TYPE A, ISO STANDARD, PRINTABLE, 8K	7.32
PC-SC97A	SC97A	SMART CARD TYPE A, ISO STANDARD, PRINTABLE WITH HIGH COERCIVITY MAGNETIC	8.06
PC-SP633	SP633	XCEEDID PROX/SMART MULLION READER W/CSN AS 12 DIGIT	444.07
PC-SP635	SP635	XCEEDID PROX/SMART MID RANGE READER W/CSN AS 12 DIGIT	563.15
PC-SPK635	SPK635	XCEEDID PROX/SMART W/KEYPAD MID RANGE READER W/CSN AS 12 DIGIT	758.83
PC-SR236	SR236	HID SMARTCARD READER	743.33
PC-SR632	SR632	XCEEDID SMART MINI-MULLION READER (SMART ONLY)	268.28
PC-SR810	SR810	MIFARE SMART CARD READER, MULLION MOUNT (4 INCH READ RANGE)	363.64
PC-SR820	SR820	MIFARE SMART CARD READER, WALL SWITCH (4 INCH READ RANGE)	363.64
PC-SRK820	SRK820	MIFARE SMART CARD READER WITH KEYPAD (4 INCH READ RANGE)	514.86

PC-SSK973	SSK973	SELF CONTAINED SINGLE-DOOR ACCESS CONTROL-200 USERS. SLIM SURFACE MOUNT, 2X6 KEYPAD, 2LED, OUTDOOR/INDOOR, BRIGHT ALUMINUM, 12VAC OR 12-24 VDC POWER. AS626S-200	482.68
PC-SSK974	SSK974	SELF CONTAINED SINGLE-DOOR ACCESS CONTROL-200 USERS. SURFACE MOUNT, 3X4 KEYPAD, 2LED, OUTDOOR/INDOOR, BRIGHT ALUMINUM, 12VAC OR 12-24 VDC POWER AS634-200	482.68
PC-TM 100	TM 100	TABLE-TOP SECURE MOUNT FOR HK2/HKCR	530.97
PC-V S MART	V S MART	BIOMETRIC FINGER PRINT READER PRINTS STOREDON SMARTCARD, WITH INTEGRATED SMART READER	2485.50
PC-VCERCO	VCERCO	OUTDOOR ENCLOSURE FOR FINGERPRINT READER & WITHOUT HEATER	1736.86
PC-VCERCOHT	VCERCOHT	OUTDOOR ENCLOSURE FOR FINGERPRINT READER & HEATER	1946.48
PC-VERIPR OX	VERIPR OX	BIOMETRIC FINGER PRINT READER 4000 PRINTS WITH INTEGRATED HID PROXIMITY READER	2021.36
PC-VPASSFX	VPASSFX	BIOSCRYPT'S V-PASS FX FINGER-SCAN READER PROVIDES FLEXIBLE SECURITY OPTIONS; FINGER ONLY SECURITY IN 1:N MODE OR DUAL-FACTOR AUTHENTICATION IN 1:1 MODE WITH AN EXTERNAL WIEGAND READER.	1901.57
PC-VSTNB	VSTNB	V-STATION, LCD,KP,ETHERNET,232,485, 4000 PRINTS	3401.61
PC-VSTNI	VSTNI	V-STATION WITH INTEGRATED I CLASS HID READER	4109.54
PC-VSTNM	VSTNM	V-STATION WITH INTEGRATED MIFARE CONTACTLESS	4270.59
PC-VSTNP	VSTNP	V-STATION WITH INTEGRATED HID READER	3722.62
PC-VSTNS	VSTNS	V-STATION PLUS 1-200 FINGERPRINT SEARCH OPTION	3640.16
PC-WM200	WM200	RECESSED WALL MOUNT KITS FOR R	482.68
PC-WM201	WM201	SURFACE WALL MOUNT KITS FOR R	482.68